

62.39

LIBRARY
REC'D
NOV 8 1954
U. S. Department of Agriculture

SEEDS

for the
NURSERYMAN
AND
FORESTER

1954-1955

F. W. SCHUMACHER

HORTICULTURIST

SANDWICH, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of consignments.

It is not possible to have all items listed available at all times. A number of perishable seeds cannot be stored successfully and must be ordered in season. All seeds are offered subject to crop failures or short supplies.

Seeds are sold without warranty, expressed or implied as to description and productiveness. **Goods** should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with carriers.

CAUTION — While it is true that plants grown from seed of horticultural varieties often yield superior plant material in comparison to that grown from nondescript seed, we wish to emphasize that seeds of such varieties or hybrids, with few exceptions, cannot be expected to come true to name. They are offered here for the convenience of competent plantsmen, for research and breeding work only.

CUSTOMERS OTHER THAN PROFESSIONALS — Please note that their orders for pound lots will be handled in line with all others. Orders for small quantities of assorted items must wait their turn to be filled after arrival of respective items from sources. We suggest that such orders be placed with us prior to March 1st. During the busy spring and fall shipping seasons orders for small amounts of seeds cannot be filled promptly. Please confine correspondence concerning small orders to the most necessary and attach a stamped return envelope if your inquiry does not concern an order. The right is reserved to return orders received in excess of our facilities.

PRICES — subject to change without notice, are f.o.b. Sandwich, Mass.

PAYMENT — for customers of approved credit upon receipt of invoice. A cash discount of 3% is allowed on all orders amounting to \$10.00 or more. For orders or shipments requested for less than \$5.00, please remit \$.50 extra for handling. Please include postage charges in your remittance together with charges for packing, 5% for all items in pound lots or over. Packing is charged at cost.

ORDERING — We request that written orders be a separate part of any correspondence and clearly show amount and price of each item listed. Quantities smaller than listed cannot be supplied.

CERTIFICATION — All bulk lots of forest seeds received from abroad are certified as to origin as a matter of course. Special certificates will be furnished upon request.

ABBREVIATION — N. E. stands for New England seed, a sign of hardiness; d.b. for dried berries; asterisk (*) denotes new or insufficiently known plants of merit.

WE ARE IN THE MARKET FOR TREE AND SHRUB SEEDS OF ALL KINDS.

WE ARE OPERATING NOW FROM NEWLY BUILT PREMISES

IN

SANDWICH, MASS.

Telephone SAGAMORE 659

| | oz. | ¼ lb. | lb. |
|--|------|-------|-------|
| ABIES alba (pectinata) | .45 | .80 | 2.00 |
| amabilis | .85 | 2.35 | 6.50 |
| balsamea | .80 | 2.25 | 6.00 |
| cephalonica | .45 | .85 | 2.50 |
| cilicica | .45 | .85 | 2.50 |
| concolor, California | .65 | 1.75 | 5.00 |
| concolor, Colorado | .65 | 1.75 | 5.00 |
| firma | .50 | 1.10 | 3.00 |
| grandis | .85 | 2.35 | 6.50 |
| homolepis | .60 | 1.65 | 4.50 |
| lasiocarpa | .85 | 2.35 | 6.50 |
| nordmanniana, Northern Europe | .60 | 1.40 | 4.00 |
| nordmanniana, South Central Europe | .50 | 1.10 | 3.00 |
| pinsapo | | .85 | 2.50 |
| pinsapo glauca | | 1.10 | 3.00 |
| procera (nobilis) | 1.00 | 2.75 | 7.50 |
| veitchi | .65 | 1.70 | 4.75 |
| ACACIA armata | 1.10 | 3.00 | |
| baileyana | .60 | 1.65 | 4.50 |
| cultriformis | .65 | 1.75 | 5.00 |
| cyanophylla | .50 | .85 | 2.50 |
| cyclops | .50 | 1.10 | 3.00 |
| decurrens | .50 | 1.10 | 3.00 |
| decurrens dealbata | .50 | 1.00 | 2.75 |
| decurrens dealbata, fast growing cultural selection | .65 | 1.75 | 5.00 |
| decurrens mollis (mollissima) | .40 | .85 | 2.25 |
| farnesiana | .50 | 1.00 | 2.75 |
| longifolia | .60 | 1.65 | 4.50 |
| longifolia floribunda | .55 | 1.40 | 4.00 |
| melanoxylon | .50 | 1.10 | 3.00 |
| pendula250 seeds 1.25 — 1,000 seeds, 3.00 | | | |
| pycnantha | .50 | .85 | 2.50 |
| retinodes floribunda | .50 | 1.10 | 3.00 |
| saligna | | .55 | 1.50 |
| ACANTHOPANAX spinosus | | 1.75 | 5.00 |
| ACER argutum | .60 | 1.65 | 4.50 |
| campestre | | .45 | .75 |
| carpinifolium | .80 | 2.25 | 6.00 |
| crataegifolium | .55 | 1.40 | 4.00 |
| davidi | 1.25 | 3.50 | |
| diabolicum | .50 | 1.25 | 3.50 |
| ginnala | .50 | 1.10 | 3.00 |
| griseum | 1.00 | 3.00 | |
| japonicum | .55 | 1.40 | 4.00 |
| macrophyllum | .50 | 1.10 | 3.00 |
| negundo | | .45 | .75 |
| nikoense | .60 | 1.65 | 4.50 |
| palmatum, small seeded | .60 | 1.65 | 4.50 |
| palmatum, from garden specimens | .60 | 1.65 | 4.50 |
| palmatum atropurpureum | .95 | 2.50 | 7.00 |
| palmatum atropurpureum dissectum | 2.00 | 5.40 | 15.00 |
| pennsylvanicum | .50 | 1.00 | 2.85 |
| platanoides | | .50 | 1.25 |
| rubrum | | .85 | 2.50 |
| rufinerve | .50 | 1.25 | 3.50 |

| | oz. | ¼ lb. | lb. |
|--|------|--------------------------|--------------------|
| ACER (continued) | | | |
| spicatum | .50 | 1.20 | 3.25 |
| ADENANTHERA pavonina | .70 | 2.00 | |
| AILANTHUS altissima (glandulosa)..... | | | .75 |
| AKEBIA lobata | | 1.10 | 3.00 |
| quinata | .50 | 1.10 | 3.00 |
| ALBIZZIA julibrissin | | .50 | 1.00 |
| julibrissin rosea, a hardy strain (Zone 5)..... | .50 | 1.15 | 3.25 |
| lophanta | .50 | 1.00 | 2.75 |
| ALNUS cordata | .50 | .85 | 2.50 |
| glutinosa | | .55 | 1.50 |
| incana | | .65 | 1.75 |
| japonica | .50 | 1.10 | 3.00 |
| rugosa, N. E..... | .90 | 2.50 | |
| AMELANCHIER asiatica , clean..... | .65 | 1.75 | 5.00 |
| canadensis, d.b..... | .65 | 1.75 | 5.00 |
| grandiflora, d.b..... | 1.00 | 2.20 | 6.00 |
| humilis, d.b..... | 1.00 | 2.20 | 6.00 |
| laevis, d.b..... | 1.00 | 2.20 | 6.00 |
| stolonifera, d.b..... | 1.00 | 2.20 | 6.00 |
| AMPELOPSIS (see also Parthenocissus) aconitifolia , N.E., d.b. | .75 | | |
| brevipedunculata (heterophylla) N. E., d.b..... | .65 | 1.75 | |
| AMORPHA canescens | .50 | 1.25 | 3.50 |
| fruticosa | | .50 | 1.00 |
| microphylla (nana)..... | | .50 | 1.25 |
| ARALIA chinensis | | 2.25 | 6.25 |
| sieboldi, see Fatsia | | | |
| spinosa, d.b..... | .50 | 1.10 | 3.00 |
| ARBUTUS menziesi , d.b..... | .50 | 1.25 | 3.50 |
| unedo, clean..... | 1.00 | 2.50 | |
| ARCTOSTAPHYLOS glauca | .45 | 1.00 | 2.75 |
| manzanita, d.b..... | .50 | .80 | 2.25 |
| urva ursi, clean..... | .55 | 1.40 | 4.00 |
| ARDESIA crenulata | .65 | 1.75 | 5.00 |
| japonica | .80 | 2.25 | 6.00 |
| ARECASTRUM romanzoffianum (Cocos plumosa) | | | |
| 250 seeds 1.50—1,000 seeds 5.00 | | | |
| ARONIA arbutifolia , d.b..... | | .90 | 2.50 |
| arbutifolia brilliantissima, d.b..... | | 1.10 | 3.00 |
| melanocarpa, d.b..... | | .65 | 1.75 |
| prunifolia (atropurpurea), d.b..... | | .85 | 2.50 |
| ASIMINA triloba | .45 | .90 | 2.50 |
| AZALEA albrechtii | 1.00 | $\frac{1}{32}$ oz. | |
| arborescens, N. E..... | 1.00 | pkt. | |
| atlantica | .50 | pkt. | |
| calendulacea, N. E..... | .65 | $\frac{1}{16}$ oz., 1.50 | $\frac{1}{4}$ oz. |
| canescens | .75 | $\frac{1}{8}$ oz. | |
| indica (macrantha)..... | .75 | $\frac{1}{8}$ oz. | |
| japonica, imported seed, Japan..... | 1.00 | $\frac{1}{4}$ oz. | 3.00 |
| japonica, yellow flowered, Japan..... | 1.00 | $\frac{1}{4}$ oz. | 3.00 |
| japonica, a new England garden strain, yellow and orange colors..... | .75 | pkt., 1.25 | $\frac{1}{32}$ oz. |
| kaempferi, (see under obtusa) | | | |
| linearifolia macrosepala, N. E..... | .50 | pkt. | |
| maxwelli, N. E..... | .50 | pkt., 1.50 | $\frac{1}{32}$ oz. |

AZALEA (continued)

oz. ¼ lb. lb.

mollis, domestic seed, yellow and orange shades

.75 $\frac{1}{16}$ oz., 1.75 ¼ oz.

mollis, imported.....1.00 ¼ oz. 3.00

mucronata (ledifolia alba) white, N. E.

.50 pkt., 1.00 $\frac{1}{32}$ oz.

mucronulata, N. E.....1.00 pkt.

nudiflora65 $\frac{1}{16}$ oz., 1.50 ¼ oz.obtusa, Japan, shades of red and rose.....70 $\frac{1}{16}$ oz.

obtusa japonica (kiusiana), domestic, N. E.....75 pkt.

obtusa japonica (kiusiana) imported.....70 $\frac{1}{16}$ oz.obtusa kaempferi, home grown, N.E.....1.00 $\frac{1}{16}$ oz., 3.50 ¼ oz.

obtusa kaempferi, low spreading type, red flowers

1.25 $\frac{1}{32}$ oz.

obtusa kaempferi, imported seed, Japan

.45 $\frac{1}{16}$ oz., 1.00 ¼ oz.

obtusa kaempferi mikawana50 pkt.

pennsylvanica50 pkt.

pentaphylla (quinquefolia rosea).....70 $\frac{1}{16}$ oz., 2.10 ¼ oz.pontica.....75 $\frac{1}{16}$ oz., 1.75 ¼ oz.*poukhanensis, N. E.....1.00 $\frac{1}{32}$ oz., 3.00 ½ oz.

prunifolia50 pkt.

reticulata (dilatata).....1.00 ½ oz.

rosea, N. E.....1.25 $\frac{1}{16}$ oz.

schlippenbachii, Korean strain, N. E.....75 ½ oz., 1.75 ¼ oz.

vaseyi, N. E.....75 $\frac{1}{16}$ oz., 1.25 ¼ oz.

(See listing of Hybrid varieties on pages 23-24.)

BERBERIS thunbergi, clean......60 1.65 4.50

thunbergi atropurpurea, d.b.....1.00 2.75 7.50

thunbergi pluriflora, from profusely fruiting selection, d.b. 1.00

BETULA japonica......50 1.20 3.25

lenta50 1.40 4.00

lutea50 1.40 4.00

lutea, clean.....1.00 2.70 7.50

papyrifera50 1.40 4.00

papyrifera, clean......85 2.50 7.00

papyrifera minor......90 2.25

pendula (alba), clean......45 .80 2.25

pendula (alba), seed from northern limit, clean......50 1.10 3.00

populifolia50 1.40 4.00

pubescens (odorata)......70 2.00

pumila1.00 2.50

BRACHYCHITON acerifolium.....1.40 4.00

discolor1.65 4.50

populneum1.20 3.25

BROUSSONETIA papyrifera.....1.00 2.75 7.50**BUDDLEIA davidi** (variabilis)......60 1.50 4.25

davidi, from new garden forms......65 ¼ oz. 2.00

davidi, white......65 ¼ oz. 2.00

japonica60 ¼ oz. 2.00

BUTIA capitata (Cocos australis) 250 seeds 1.50—1,000 seeds 4.50**BUXUS microphylla koreana**, N. E.

the true hardy Korean Box .70 ¼ oz. 2.00

sempervirens50 .90 2.50

| | | oz. ¼ | lb. | lb. |
|--|-----------------------|-------|------|------|
| CALLICARPA <i>dichotoma</i> | | 1.75 | 4.50 | |
| <i>giraldiana</i> | .50 ¼ oz. | | | |
| CALLUNA <i>vulgaris</i> , clean..... | .55 ¼ oz. | 1.00 | | |
| CALYCANTHUS <i>floridus</i> | | .50 | 1.00 | 2.75 |
| <i>occidentalis</i> | | .50 | 1.25 | 3.50 |
| CAMELLIA <i>japonica</i> , seed from Japan..... | | .50 | .70 | 2.00 |
| <i>japonica</i> , from garden specimens..... | | .50 | .90 | 2.50 |
| <i>japonica</i> , seed from named double varieties...100 seeds | 2.50 | | | |
| <i>reticulata</i> | | .80 | 2.25 | 6.00 |
| <i>sasanqua</i> | | .50 | .80 | 2.25 |
| CAMPSIS (<i>Bignonia</i>) <i>grandiflora</i> | | .50 | 1.10 | 3.00 |
| <i>radicans</i> | | .50 | 1.10 | 3.00 |
| CAPPARIS <i>inermis</i> | | | 1.10 | 3.00 |
| <i>spinosa</i> | | | 1.10 | 3.00 |
| CARAGANA <i>arborescens</i> | | .50 | 1.10 | 3.00 |
| CARPENTERIA <i>californica</i> | .70 ⅙ oz., 2.00 ¼ oz. | | | |
| CARPINUS <i>betulus</i> , clean..... | | | .50 | 1.25 |
| <i>caroliniana</i> , clean..... | | .50 | 1.10 | 3.00 |
| <i>cordata</i> | | .75 | 2.25 | 6.00 |
| <i>japonica</i> | | .65 | 1.75 | 5.00 |
| <i>tschonoski</i> | | .85 | 2.35 | 6.50 |
| CASSIA <i>artemisioides</i> | | 1.50 | 4.00 | |
| <i>tomentosa</i> | | 1.10 | 3.00 | |
| CASUARINA <i>cunninghamiana</i> , domestic seed..... | | 1.00 | 2.75 | 7.50 |
| <i>equisetifolia</i> , domestic seed..... | | .80 | 2.25 | 6.00 |
| CATALPA <i>bignonioides</i> | | | .40 | 1.00 |
| <i>ovata</i> | | | .55 | 1.50 |
| <i>speciosa</i> | | | 1.10 | 3.00 |
| CEANOTHUS <i>americanus</i> | | .80 | 2.25 | 6.00 |
| <i>arboreus</i> | .60 ¼ oz. | 1.50 | | |
| <i>arboreus</i> hybrids..... | .60 ¼ oz. | 1.50 | | |
| <i>cyaneus</i> | .60 ¼ oz. | 1.65 | | |
| <i>griseus</i> <i>horizontalis</i> | .50 ¼ oz. | 1.25 | | |
| <i>integerrimus</i> | .50 ¼ oz. | 1.25 | | |
| <i>megacarpus</i> | .60 ¼ oz. | 1.50 | | |
| <i>olivaceus</i> <i>tomentosus</i> | .90 ¼ oz. | 2.50 | | |
| <i>purpureus</i> | .90 ¼ oz. | 2.50 | | |
| <i>spinosus</i> | .60 ¼ oz. | 1.50 | | |
| <i>thyrsiflorus</i> | .50 ¼ oz. | 1.25 | | |
| <i>verrucosus</i> | .60 ¼ oz. | 1.50 | | |
| CEDRUS <i>atlantica</i> | | | 1.20 | 3.25 |
| <i>atlantica</i> <i>argentea</i> | | | 1.25 | 3.50 |
| <i>atlantica</i> <i>glauca</i> | | | 1.30 | 3.75 |
| <i>deodara</i> | | | 1.00 | 2.75 |
| <i>libani</i> | | | 1.20 | 3.25 |
| CELASTRUS <i>orbiculatus</i> , clean..... | | .50 | 1.10 | 3.00 |
| <i>scandens</i> , clean..... | | .65 | 1.85 | 5.25 |
| <i>scandens</i> , d.b..... | | | .90 | 2.50 |
| CELTIS <i>mississippiensis</i> (<i>laevigata</i>), d.b..... | | | .65 | 1.75 |
| <i>occidentalis</i> , d.b..... | | | .55 | 1.50 |
| CEPHALANTHUS <i>occidentalis</i> , clean..... | | | .65 | 1.75 |
| CEPHALOTAXUS <i>drupacea</i> | | | .45 | 1.25 |
| <i>fortuni</i> | | | .55 | 1.50 |
| CERATONIA <i>siliqua</i> | | | .45 | 1.25 |
| CERCIDIPHYLLUM * <i>japonicum</i> | | 2.00 | 5.00 | |
| CERCIS <i>canadensis</i> , Northern seed..... | | .50 | 1.15 | 3.25 |

} not suppliable for export

| CERCIS (continued) | | | |
|---|-----------|-------|------|
| | oz. | ¼ lb. | lb. |
| canadensis, Southern seed..... | .50 | 1.00 | 2.75 |
| chinensis | .60 | 1.55 | 4.50 |
| occidentalis | .55 | 1.25 | 3.50 |
| siliquastrum | | .35 | 1.00 |
| siliquastrum alba..... | .45 | .80 | 2.25 |
| CHAENOMELES lagenaria (Cydonia japonica)..... | .55 | 1.40 | 4.00 |
| lagenaria pygmaea..... | .55 | 1.25 | 3.50 |
| CHAMAECYPARIS lawsoniana..... | | .65 | 1.75 |
| lawsoniana, from garden forms, northern grown seed..... | .50 | 1.05 | 2.85 |
| lawsoniana allumi, blue, columnar shaped form..... | .50 | 1.10 | 3.00 |
| lawsoniana argentea..... | .50 | .90 | 2.50 |
| lawsoniana aurea..... | .50 | .90 | 2.50 |
| lawsoniana pendula glauca..... | .50 | 1.00 | 2.75 |
| lawsoniana pyramidalis..... | .50 | 1.00 | 2.75 |
| lawsoniana Triumph de Boskoop, choice blue form..... | .50 | 1.10 | 3.00 |
| *nootkatensis | .75 | 2.15 | 6.00 |
| obtusa | .55 | 1.25 | 3.50 |
| obtusa aurea..... | .65 | 1.75 | 5.00 |
| obtusa, garden forms..... | .65 | 1.75 | 5.00 |
| pisifera | .55 | 1.40 | 4.00 |
| pisifera filifera..... | .60 | 1.50 | 4.25 |
| pisifera plumosa..... | .60 | 1.55 | 4.50 |
| pisifera squarrosa..... | .80 | 1.85 | 5.25 |
| thyoides | .90 ¼ oz. | 2.50 | |
| CHAMAEROPS humilis..... | | .45 | 1.00 |
| CHILOPSIS linearis..... | .80 | 2.35 | 6.50 |
| CHIMONANTHUS (Meratia) praecox | | .80 | 2.25 |
| CHIONANTHUS retusus..... | | 2.25 | 6.00 |
| virginicus, clean..... | .50 | 1.10 | 3.00 |
| CINNAMOMUM camphora..... | | .65 | 1.80 |
| CLADRASTIS lutea..... | .50 | 1.30 | 3.75 |
| CLEMATIS alpina..... | .75 ¼ oz. | 2.00 | |
| florida | .65 | 1.75 | |
| paniculata, imported..... | .55 | 1.65 | 4.50 |
| patens | .65 | 1.75 | |
| viticella | | .55 | 1.50 |
| CLERODENRON trichotomum..... | .50 | .95 | 2.50 |
| CLETHRA acuminata d.b..... | 1.00 | | |
| alnifolia, N. E. d.b..... | .55 | 1.25 | 3.50 |
| barbinervis, clean..... | .80 | 2.35 | |
| fargesii, d.b..... | .50 pkt. | | |
| tomentosa, d.b..... | 1.00 | | |
| COCCULUS carolinus..... | | .55 | 1.50 |
| COLUTEA arborescens..... | | .55 | 1.50 |
| CORDYLINE (Dracaena) indivisa, clean..... | .60 | 1.50 | 4.25 |
| CORNUS alba..... | .60 | 1.55 | 4.50 |
| alternifolia, N. E., d.b..... | .50 | 1.10 | 3.00 |
| amomum, clean..... | .50 | 1.25 | 3.50 |
| canadensis, N. E. d.b..... | .70 | 1.85 | 5.50 |
| capitata | | .70 | 2.00 |
| controversa | .55 | 1.35 | 3.75 |
| florida, Southern, clean..... | .50 | .95 | 2.50 |
| florida, climatic Zone 6, clean..... | .50 | .95 | 2.50 |
| florida, N. E., Zone 4 or 5, clean..... | .50 | 1.25 | 3.75 |
| kousa, clean..... | .55 | 1.25 | 3.50 |

| CORNUS (continued) | oz. | ¼ lb. | lb. |
|--|-----------|-------|-------|
| mas, clean..... | | .60 | 1.50 |
| nuttalli, d.b..... | .50 | 1.25 | 3.50 |
| racemosa (paniculata), clean..... | .50 | 1.10 | 3.00 |
| racemosa (paniculata) d.b..... | | .60 | 1.50 |
| rugosa, d.b..... | .50 | 1.10 | 3.00 |
| sanguinea, clean..... | | .50 | 1.00 |
| stolonifera, d.b..... | | .70 | 1.75 |
| CORONILLA emerus..... | .60 | 1.50 | |
| CORYLOPSIS sinensis, N. E..... | .65 ¼ oz. | 2.00 | |
| spicata | 1.75 | 5.00 | |
| CORYLUS americana..... | | .65 | 1.65 |
| avellana | | | .75 |
| COTINUS coggygia (Rhus cotinus)..... | | .65 | 1.65 |
| COTONEASTER acutifolia, clean..... | 1.25 | 3.50 | 10.00 |
| adpressa praecox, d.b..... | .60 ¼ oz. | 1.50 | |
| apiculata, d.b..... | .75 | 2.25 | 6.00 |
| bullata, clean..... | .65 | 1.75 | 5.00 |
| bullata floribunda, d.b..... | .70 | 2.00 | |
| buxifolia, clean..... | .65 | 1.75 | 5.00 |
| dielsiana, clean..... | .75 | 2.25 | 6.00 |
| dielsiana elegans, d.b..... | .65 ¼ oz. | 1.50 | |
| *dielsiana major, clean..... | 1.00 | 3.00 | |
| divaricata, clean..... | 1.00 | 2.75 | 7.50 |
| francheti, clean..... | .60 | 1.50 | 4.25 |
| francheti cinerascens, d.b..... | .75 | | |
| gracilis, d.b., N. E..... | .45 ¼ oz. | 1.25 | |
| horizontalis, clean..... | .60 | 1.50 | 4.25 |
| horizontalis perpusilla, d.b..... | .45 ¼ oz. | 1.25 | |
| lactea (parneyi) d.b., N. E..... | .70 | 2.00 | |
| lucida, clean..... | .80 | 2.25 | 6.00 |
| microphylla, clean..... | .65 | 1.75 | 5.00 |
| *multiflora, clean..... | 1.00 | 2.80 | 8.00 |
| *multiflora calocarpa, d.b..... | .70 | 2.00 | |
| nitens, d.b..... | .70 | 2.00 | |
| pannosa, clean..... | .65 | 1.65 | 4.50 |
| racemiflora, d.b..... | .75 | 2.20 | |
| racemiflora songarica, d.b..... | .75 | 2.20 | |
| racemiflora veitchi, d.b..... | .75 | 2.20 | |
| rosea, clean..... | .60 ¼ oz. | 1.50 | |
| rotundifolia lanata, clean..... | .65 | 1.75 | |
| salicifolia, clean..... | .65 | 1.75 | 5.00 |
| simonsi, d.b..... | .50 | 1.00 | 3.00 |
| thymifolia, d.b..... | .45 ¼ oz. | 1.25 | |
| zabeli, d.b..... | .55 | 1.50 | |
| CRATAEGUS crus-galli, clean..... | | .80 | 2.25 |
| intricata (coccinea), clean..... | | .85 | 2.25 |
| mollis, clean..... | .50 | 1.00 | 2.75 |
| monogyna | | .50 | 1.00 |
| oxyacantha, clean..... | | .50 | 1.25 |
| phaenopyrum (cordata), clean..... | .65 | 1.65 | 4.50 |
| punctata, clean..... | .50 | 1.25 | 3.50 |
| CYRPTOMERIA japonica, European seed..... | .45 | .90 | 2.35 |
| japonica, Oriental seed..... | .50 | .90 | 2.50 |
| japonica elegans..... | .65 | 1.65 | 4.50 |
| japonica lobbi..... | .50 | 1.40 | 4.00 |

7

| | oz. | ¼ lb. | lb. |
|--|-----------|-------|------|
| EUCALYPTUS botryoides | .85 | 2.50 | 7.00 |
| <i>camaldulensis</i> (rostrata)..... | .65 | 1.75 | 5.00 |
| <i>globulus</i> , clean..... | .65 | 1.75 | 5.00 |
| EUCRYPHIA glutinosa1.25 ⅛ oz. | | | |
| EUONYMUS alatus , clean..... | .50 | 1.10 | 3.00 |
| <i>atropurpureus</i> , d.b..... | .50 | 1.00 | 2.75 |
| <i>europaeus</i> , clean..... | | .70 | 2.00 |
| <i>europaeus intermedia</i> (fructu coccineo) with bright red fruit, d.b..... | .50 | 1.10 | 3.00 |
| <i>fortunei</i> (radicans) clean..... | .40 | 1.25 | 3.75 |
| <i>japonicus</i> , clean..... | | 1.10 | 3.00 |
| <i>oxyphyllus</i> , clean..... | .50 | 1.00 | 3.00 |
| <i>sachalinensis</i> (planipes), clean..... | 1.00 | 2.50 | |
| <i>yedoensis</i> , d.b..... | .60 | 1.50 | |
| EUPTELEA polyandra | .80 | 2.25 | |
| EVODIA danielli | .75 | | |
| EXOCHORDA grandiflora | .55 | 1.65 | 3.50 |
| FAGUS sylvatica , Northern Europe..... | | .50 | 1.25 |
| FATSIA japonica (<i>Aralia sieboldi</i>).....1,000 seeds 2.50 | | | |
| FEIJOA sellowiana1,000 seeds 2.25 | | | |
| FIRMINIANA simplex | | .80 | 2.25 |
| FRANKLINIA alata100 seeds 1.75, 1,000 seeds 11.00 | | | |
| FRAXINUS americana | | .50 | 1.35 |
| <i>excelsior</i> | | | .70 |
| <i>longicuspis sieboldiana</i> | .50 | 1.10 | 3.00 |
| <i>mandshurica</i> | .50 | 1.10 | 3.00 |
| <i>oregona</i> | .50 | .90 | 2.50 |
| <i>ornus</i> | | | .75 |
| <i>pennsylvanica lanceolata</i> | | | .85 |
| FREMONTIA californica1.00 ¼ oz. | | | |
| <i>mexicana</i> | .70 ¼ oz. | 2.00 | |
| GARDENIA jasminoides (florida)..... | .60 | 1.65 | 4.50 |
| GENISTA aetnensis | .50 | 1.25 | |
| <i>canariensis</i> | .85 | 2.50 | |
| <i>fragrans</i> | 1.00 | 3.00 | |
| <i>germanica</i> | .75 | | |
| <i>monosperma</i> | .55 | 1.55 | |
| <i>pilosa</i> | .75 | | |
| <i>radiata</i> | .75 | | |
| <i>tinctoria</i> | .60 | 1.65 | 4.50 |
| GINKGO biloba | | .55 | 1.50 |
| GLEDITSIA japonica | .50 | .90 | 2.50 |
| <i>sinensis</i> | .50 | 1.00 | 2.75 |
| <i>triacanthos</i> | | .50 | 1.10 |
| <i>triacanthos inermis</i> | | .50 | 1.25 |
| GREVILLEA robusta , domestic seed.....1.00 ¼ oz. | 3.00 | | |
| GYMNOCLADUS dioicus | | .45 | .75 |
| HALESIA carolina (tetraptera)..... | | .80 | 2.25 |
| <i>monticola</i> | .50 | .90 | 2.50 |
| HAMAMELIS japonica | .70 | 1.80 | 5.25 |
| <i>mollis</i> , N. E.1.00 ¼ oz. | | | |
| <i>vernalis</i> , tall growing form..... | .60 ¼ oz. | 1.50 | 4.25 |
| <i>vernalis tomentella</i> , bush type..... | .60 ¼ oz. | 1.50 | |
| <i>virginiana</i> , Southern..... | .80 | 2.25 | 6.00 |
| <i>virginiana</i> , Northern (Zone 4)..... | .80 | 2.35 | 6.50 |

| | oz. | ¼ lb. | lb. |
|--|--------------------------|-------|------|
| HIBISCUS syriacus | | .50 | 1.25 |
| syriacus, white flowered..... | | .60 | 1.50 |
| HIPPOPHAE rhamnoides | | .60 | 2.00 |
| HOVENIA dulcis | .50 | 1.00 | 2.75 |
| HYDRANGEA petiolaris | .50 ¼ oz. | 1.25 | |
| HYPERICUM frondosum (aureum) | .50 ⅛ oz. | | |
| kalmianum..... | .75 ¼ oz. | | |
| IDESIA polycarpa | | .70 | 2.00 |
| ILEX aquifolium , berries, domestic (French) strain, from cut- green orchards..... | | | 3.75 |
| aquifolium, clean..... | | .65 | 1.75 |
| aquifolium, from garden varieties..... | .45 | .85 | 2.50 |
| cornuta, domestic, cleaned and floated..... | .80 | 2.25 | 6.00 |
| crenata, clean..... | .50 | 1.10 | 3.00 |
| crenata convexa (bullata) N. E., d.b..... | 1.00 | | |
| glabra, d.b..... | | .55 | 1.50 |
| integra..... | .60 | 1.50 | |
| latifolia..... | .70 | 2.00 | 5.75 |
| opaca, clean..... | .65 | 1.70 | 4.75 |
| opaca, from its northern range, clean..... | .75 | 2.15 | 6.00 |
| pedunculosa, clean..... | .65 | 1.70 | 4.75 |
| serrata (sieboldi), clean..... | .60 | 1.50 | 4.25 |
| verticillata, clean..... | .80 | 2.25 | 6.00 |
| INDIGOFERA dosua | .40 ¼ oz. | 1.25 | |
| JUBAEA spectabilis | 100 seeds .75, 500 seeds | 3.00 | |
| JUGLANS sieboldiana | | .50 | 1.25 |
| sieboldiana cordiformis..... | | .50 | 1.25 |
| JUNIPERUS californica , d.b..... | .40 | .80 | 2.25 |
| chinensis, clean, import grade..... | .60 | 1.50 | 4.25 |
| chinensis, cleaned and floated, 80% sound seed..... | 1.00 | 2.90 | 8.00 |
| chinensis sargentii, clean..... | .75 | 2.15 | 6.00 |
| communis depressa, N. E., d.b..... | .50 | 1.00 | 2.75 |
| communis depressa, clean..... | .90 | 2.50 | 7.00 |
| communis, upright columnar type, clean..... | .45 | .65 | 1.75 |
| communis saxatilis (montana), clean..... | .80 | 2.25 | 6.00 |
| conferta (litoralis), clean..... | 1.00 | 2.50 | 7.00 |
| monosperma, d.b..... | | .80 | 2.25 |
| * pachyphloea , d.b..... | .45 | .70 | 2.00 |
| procumbens, clean..... | .80 | 2.35 | 6.50 |
| rigida, clean..... | .50 | 1.65 | 4.50 |
| scopulorum, clean, northern..... | .60 | 1.75 | 5.00 |
| scopulorum, dainty leaved Southern blue form, cleaned and floated..... | .75 | 2.15 | 6.00 |
| virginiana, Southern, clean..... | .50 | 1.20 | 3.50 |
| virginiana, Platte River, d.b..... | | .80 | 2.25 |
| virginiana, Platte River, cleaned and floated, 90% sound seed..... | .75 | 2.15 | 6.00 |
| virginiana glauca, clean..... | .70 | 2.25 | 6.00 |
| KADSURA japonica | .70 | 2.25 | 6.00 |
| KALMIA latifolia | .55 ¼ oz. | 1.50 | |
| latifolia, New England, from garden specimens..... | 1.00 ¼ oz. | 2.50 | |
| latifolia, from native New England mountain stock, 1200 ft. 1.00 ¼ oz. | 3.00 | | |
| KALOPANAX pictus (Acanthop. ricinifolius) | .80 | 2.25 | 6.00 |
| KERRIA japonica | .60 | 1.40 | 4.00 |

| | oz. | ¼ lb. | lb. |
|--|----------------------|-------|-------|
| KOELREUTERIA paniculata | | .45 | 1.35 |
| KOLKWITZIA amabilis , clean, N. E..... | 1.70 | 4.75 | |
| LABURNUM alpinum | .45 | .70 | 2.00 |
| <i>anagyroides</i> (vulgare)..... | .45 | .65 | 1.75 |
| <i>Watereri</i> (alpinum x vulgare)..... | .60 ¼ oz. | 2.00 | |
| LAGERSTROEMIA indica , pink, clean..... | .75 | 2.25 | 6.00 |
| <i>indica</i> , white..... | 1.00 | 2.75 | 7.50 |
| LARIX decidua (europaea) Central Alps, elev. 3,000-3,600 ft., granite..... | .50 | 1.25 | 3.50 |
| <i>decidua</i> , foothills Northern Alps, elev. 2,400-3,000 ft., limestone..... | .50 | 1.25 | 3.75 |
| <i>decidua</i> , large seeded strain from Western High Alps, 6,000 ft., of late starting and early terminating growth, cold and wind resistant, straight, tall, rapid grower, a good timber tree, a fine ornamental..... | .65 | 1.70 | 4.75 |
| <i>leptolepis</i> | .90 | 2.65 | 7.50 |
| <i>occidentalis</i> | 2.00 | 5.80 | 16.00 |
| LAURUS nobilis , clean..... | | .50 | 1.00 |
| LESPEDEZA bicolor , clean..... | .50 | 1.25 | 3.50 |
| <i>buergeri</i> | .45 | .75 | 2.00 |
| <i>japonica</i> | .50 | .90 | 2.50 |
| <i>thunbergi</i> (formosa)..... | .50 | .90 | 2.50 |
| LEUCOTHOE catesbaei | 1.00 ¼ oz., 2.50 oz. | | |
| LIBOCEDRUS decurrens | .50 | .90 | 2.50 |
| LIGUSTRUM amurense , d.b..... | | .70 | 2.00 |
| <i>ibota</i> , clean..... | .45 | .80 | 2.25 |
| <i>japonicum</i> , clean..... | .50 | .90 | 2.50 |
| <i>lucidum</i> , d.b..... | .50 | 1.00 | 2.75 |
| <i>obtusifolium</i> (ibota of trade), d.b..... | | .70 | 2.00 |
| <i>sinense</i> ("South" Privet), clean..... | | .65 | 1.75 |
| <i>vulgare</i> , clean..... | | .65 | 1.75 |
| LIQUIDAMBAR styraciflua | .75 | 1.85 | 5.25 |
| LIRIODENDRON tulipifera | | .50 | 1.25 |
| LIVISTONA chinensis (Latania borb.)..... | .50 | 1.10 | 3.00 |
| LOISELEURIA procumbens | 1.00 ⅙ oz. | | |
| NANDINA domestica , home grown, berries..... | | .80 | 2.25 |
| <i>domestica</i> , imported, clean..... | .50 | 1.20 | 3.25 |
| <i>domestica</i> , white berries, imported, clean..... | .60 | 1.70 | 4.75 |
| ONICERA caprifolium , clean..... | .65 | 1.75 | 5.00 |
| <i>etrusca</i> , clean..... | .65 | 1.70 | 4.75 |
| <i>henryi</i> , d.b..... | .60 ¼ oz. | 1.75 | |
| <i>japonica</i> , clean..... | .80 | 2.25 | 6.00 |
| <i>korolkowi zabeli</i> , fine red flowered form, d.b..... | .50 ¼ oz. | 1.50 | |
| <i>maacki</i> , clean..... | 1.50 | 4.25 | |
| <i>morrowi</i> , clean..... | .70 | 2.25 | 6.00 |
| <i>morrowi</i> , yellow fruited, d.b..... | .70 | 2.00 | 5.50 |
| <i>ruprechtiana</i> , d.b..... | .70 | 2.00 | |
| <i>tatarica</i> , clean..... | .60 | 1.55 | 4.25 |
| <i>tatarica alba</i> , d.b..... | .75 | 2.25 | |
| <i>tatarica rosea</i> , d.b..... | .75 | 2.25 | |
| <i>tatarica wheeleri</i> (red), d.b..... | 1.00 | | |
| <i>xylostium</i> , clean..... | .70 | 1.80 | 5.25 |
| MAACKIA amurensis | .50 | 1.30 | 3.75 |
| MACADAMIA ternifolia | | 1.25 | 3.50 |
| MACLURA pomifera | | .65 | 1.75 |

| | oz. | ¼ lb. | lb. |
|---|-----------|-------|------------|
| MAGNOLIA acuminata | .50 | 1.35 | 3.75 |
| denudata (conspicua), d.b..... | .50 | 1.25 | 3.50 |
| grandiflora, clean..... | | 1.10 | 3.00 |
| kobus, clean..... | .60 | 1.40 | 4.00 |
| liliflora, d.b..... | .60 | 1.40 | 4.00 |
| obovata (hypoleuca), clean..... | .50 | 1.25 | 3.50 |
| sieboldi (parviflora)..... | 1.00 | 2.75 | 7.50 |
| soulangeana, d.b..... | .50 | 1.35 | 3.75 |
| soulangeana lennei, d.b..... | .50 | 1.40 | 4.00 |
| tripetala, clean..... | .55 | 1.65 | 4.50 |
| virginiana (glauca), clean..... | .70 | 2.00 | 5.50 |
| MAHONIA aquifolia , clean..... | .85 | 2.40 | 6.50 |
| MALUS baccata , clean seed..... | 1.50 | 4.35 | 12.00 |
| baccata, dried pomes..... | | .70 | 2.00 |
| baccata mandshurica, dried pomes..... | | .70 | 2.00 |
| coronaria, clean..... | 1.30 | 3.60 | 10.00 |
| common, Apple for stock — French Cider Crab..... | | .50 | 1.25 |
| common, Apple for stock — domestic seed..... | | .60 | 1.50 |
| floribunda, clean..... | 1.25 | 3.35 | 9.00 |
| ioensis, clean..... | 1.35 | 3.75 | |
| *sargentii, dried pomes, N. E., Free blooming, dwarf orna- mental Crab, true from seed..... | | .70 | 2.00 |
| sieboldi, clean..... | 1.25 | 3.10 | 8.50 |
| theifera (hupehensis), dried pomes, handsome small tree, very free blooming, true from seed..... | | .50 | .90 2.50 |
| zumi, clean..... | 1.25 | 3.10 | 8.50 |
| zumi calocarpa, dried pomes..... | | .50 | .90 2.50 |
| MELALEUCA leucadendron | 1.25 | 3.25 | |
| MELIA azedarach | | .70 | 2.00 |
| MENISPERMUM canadense | | .70 | 2.00 |
| MESPILUS germanica , clean..... | | .70 | 2.00 |
| MORUS alba , clean..... | .50 | .90 | 2.50 |
| alba tatarica, clean..... | .75 | 2.15 | 6.00 |
| nigra, clean..... | .50 | 1.10 | 3.00 |
| MYRICA caroliniensis (pennsylvanica) N. E. d.b..... | | .65 | 1.50 |
| MYRTUS communis , clean..... | .70 | 2.00 | 5.50 |
| communis compacta..... | .60 ¼ oz. | 1.50 | |
| NEMOPANTHUS mucronatus , d.b..... | .50 | 1.10 | 3.00 |
| NYSSA sylvatica , clean..... | .50 | 1.10 | 3.00 |
| OLEA europaea , from wild plants..... | | .70 | 2.00 |
| europaea, cultivated varieties..... | | .50 | 1.00 |
| OSMANTHUS aurantiacus | | 1.50 | 4.50 |
| fragrans..... | | 1.35 | 4.25 |
| ilicifolius (aquifolius)..... | .70 | 2.00 | 5.50 |
| ORIXA japonica | .75 | 2.25 | |
| OSTRYA carpinifolia , clean..... | .50 | .90 | 2.50 |
| virginiana, clean..... | .75 | 2.15 | 6.00 |
| OXYDENDRON arboreum , clean..... | .45 ¼ oz. | 1.25 | |
| PAEONIA suffruticosa (arborea or moutan)..... | 1.80 | 4.60 | 12.50 |
| PALIURUS spina-christi (aculeatus), clean..... | | .60 | 1.50 |
| PARKINSONIA aculeata | .50 | 1.15 | 3.25 |
| PARTHENOCISSUS (Ampelopsis) quinquefolia , clean..... | | .65 | 1.75 |
| tricuspidata (veitchi), clean..... | .45 | .80 | 2.25 |
| PASSIFLORA coerulea | .50 ¼ oz. | 1.25 | |
| edulis..... | .50 ¼ oz. | 1.25 | |
| incarnata..... | .50 ¼ oz. | 1.30 | 3.60 10.00 |

| | oz. | ¼ lb. | lb. |
|--|-------------|------------|-------|
| PAULOWNIA tomentosa | .45 | .60 | 1.50 |
| PHASEOLUS caracalla100 seeds 1.00, 1,000 seeds 6.00 | | | |
| PHELLODENDRON amurense , clean..... | .55 | 1.35 | 3.75 |
| PHILADELPHUS coronarius , clean..... | .55 | 1.35 | 3.75 |
| <i>grandiflorus</i> | .50 | 1.25 | 3.50 |
| <i>pubescens</i> , vigorous native species..... | .50 ¼ oz. | 1.25 | |
| PHOENIX canariensis | | .50 | 1.20 |
| <i>dactylifera</i> | | .70 | 2.00 |
| <i>dactylifera</i> , Deglet Nur variety..... | .50 | 1.10 | 3.00 |
| <i>reclinata</i>1,000 seeds 3.50 | | | |
| <i>roebeleni</i>250 seeds 1.75, 1,000 seeds 5.50 | | | |
| PHOTINIA villosa , clean..... | .55 | 1.40 | 4.00 |
| PHYSOCARPUS opulifolius , Ninebark..... | .65 | 1.75 | 5.00 |
| PICEA abies (excelsa), Western Europe, Central Mountains of France (2,700 ft.)..... | .55 | 1.40 | 4.00 |
| <i>abies</i> , Northern Europe, the vigorous Lowland strain..... | .55 | 1.65 | 4.50 |
| <i>abies</i> , from lime stone formations in Austria (1,800-2,400 ft.)..... | .50 | 1.20 | 3.25 |
| <i>abies</i> , from hill origins (1,500-2,400 ft.) South Central Germany (Harz Mts.), South Germany and Lower Austria | .50 | 1.00 | 2.75 |
| <i>abies</i> , alpine origins, 3,000 ft. to timber line, Central Alps of Europe..... | .50 | 1.25 | 3.50 |
| <i>abies</i> , the best Norway Spruce timber stands and the tallest and largest trees are found in the Boehmerwald region of Europe from which seed again becomes available. A hill-type Spruce..... | .50 | 1.10 | 3.00 |
| <i>bicolor</i> | 1.00 | 2.00 | 8.00 |
| <i>breweriana</i>1.25 ¼ oz. | | | |
| <i>engelmanni</i> | 1.30 | 3.60 | 10.00 |
| <i>glauca</i> (canadensis), from planted stands near sea-level, Northern Europe..... | .65 | 1.75 | 5.00 |
| <i>glauca densata</i> (Black Hills)..... | 2.00 | 5.20 | 14.00 |
| <i>jezoensis hondoensis</i> | 1.00 | 2.75 | 7.50 |
| <i>koyami</i> | .85 ¼ oz. | 2.50 | |
| <i>omorika</i> , from wild trees of its native habitat..... | 1.25 ¼ oz. | 5.00 | |
| <i>omorika</i> , from trees in cultivation..... | 1.50 ¼ oz. | 6.00 | |
| <i>polita</i> | 1.00 | 2.75 | 7.50 |
| <i>pungens</i> | 1.75 | 4.50 | 12.00 |
| <i>pungens glauca</i> | 2.00 | 5.20 | 14.00 |
| <i>sitchensis</i> , hardy type, Olympic range..... | 1.80 | 4.75 | 12.50 |
| PIERIS floribunda , N. E.....1.10 ¼ oz. | 3.00 | | |
| <i>formosa</i> | 1.00 ⅙ oz., | 2.75 ¼ oz. | |
| <i>japonica</i> , N. E......90 ¼ oz. | 2.50 | | |
| <i>japonica</i> , imported......65 ¼ oz. | 1.50 | | |
| PINUS banksiana | 1.25 | 3.35 | 9.00 |
| <i>caribaea</i> | 1.00 | 2.75 | 7.50 |
| <i>cembra</i> | | .50 | 1.25 |
| <i>cembroides edulis</i> | .50 | 1.25 | 3.50 |
| <i>contorta</i> | .95 | 2.90 | 8.00 |
| <i>contorta latifolia</i> (murrayana)..... | 1.30 | 3.60 | 10.00 |
| <i>coulteri</i> | .65 | 1.75 | 5.00 |
| <i>densiflora</i> | .50 | .90 | 2.50 |
| <i>echinata</i> | 2.00 | 5.20 | 14.00 |
| <i>flexilis</i> | .55 | 1.40 | 4.00 |

PINUS (continued)

oz. ¼ lb. lb.

| | | | |
|---|------|------|-------|
| <i>flexilis reflexa</i> | .60 | 1.60 | 4.50 |
| <i>griffithi</i> (excelsa)..... | .50 | .85 | 2.50 |
| <i>halepensis</i> | | .60 | 1.50 |
| <i>halepensis brutia</i> | | .65 | 1.75 |
| <i>jeffreyi</i> | .60 | 1.50 | 4.25 |
| <i>khasya</i> | 1.25 | 3.60 | |
| <i>koraiensis</i> | .50 | 1.25 | 3.50 |
| <i>lambertiana</i> | .55 | 1.40 | 4.00 |
| <i>merkusi</i> | 1.25 | 3.60 | |
| <i>mugo</i> (montana), Lowland seed..... | .50 | 1.10 | 3.00 |
| <i>mugo gallica</i> | .60 | 1.50 | 4.25 |
| <i>mugo mughus</i> , Tyrolean Alps, dwarf type..... | .83 | 2.25 | 6.00 |
| <i>mugo pumilio</i> , dwarfest of <i>mugo</i> group from Eastern Alps (limestone), 6,000 ft..... | 1.15 | 3.10 | 8.50 |
| <i>mugo rostrata</i> (uncinata), European Alps..... | .60 | 1.50 | 4.25 |
| <i>mugo rostrata</i> (uncinata), Lowland seed..... | .55 | 1.10 | 3.00 |
| <i>monticola</i> | 1.00 | 2.80 | 8.00 |
| <i>muricata</i> | .65 | 1.75 | |
| <i>nigra</i> , Hill strain, elev. 900-2,100 ft. from the heart of the Austrian Pine country in Austria..... | .50 | 1.30 | 3.75 |
| <i>nigra</i> , Northern Europe, from planted stands near sea level..... | .55 | 1.40 | 4.00 |
| <i>nigra</i> , South Central Europe, Apennines Mountains, elev. 2,100-2,700 ft..... | .55 | 1.10 | 3.00 |
| <i>nigra poiretiana</i> , Mainland form from Calabria..... | .50 | 1.10 | 3.00 |
| <i>palustris</i> | | 1.25 | 3.50 |
| <i>parviflora</i> (pentaphylla)..... | .65 | 1.75 | 5.00 |
| <i>pinaster</i> (maritima)..... | | .60 | 1.25 |
| <i>pinæa</i> | | .50 | 1.10 |
| <i>ponderosa</i> , Colorado..... | .60 | 1.65 | 4.50 |
| <i>ponderosa</i> , Northern Rockies..... | .60 | 1.50 | 4.25 |
| <i>ponderosa</i> , from the timber areas of its maximum development in So. Oregon and California..... | .75 | 1.90 | 5.50 |
| <i>ponderosa scopulorum</i> | .55 | 1.40 | 4.00 |
| <i>pumila</i> | 1.00 | 2.75 | 7.50 |
| <i>radiata</i> (insignis)..... | .50 | 1.10 | 3.00 |
| <i>resinosa</i> , Lake States..... | 2.00 | 5.75 | 16.00 |
| <i>resinosa</i> , Pennsylvania crop..... | 2.25 | 6.25 | 17.50 |
| <i>rigida</i> N. E..... | .65 | 1.75 | 5.00 |
| <i>sabiniana</i> | | .60 | 1.75 |
| <i>strobis</i> , Lake States Race..... | 1.00 | 2.80 | 8.00 |
| <i>strobis</i> , from planted stands in Europe..... | .80 | 2.25 | 6.50 |
| <i>sylvestris</i> , for diversity of requirements a choice of strains is offered: See page 28, Pine Lore. | | | |

A. Strains from the plains of Northern Europe from stands growing on sandy soil. All are suitable for timber production:

| | | | |
|--|------|------|-------|
| Seed from Denmark, dune plantations, 66,500 seeds per pound..... | .60 | 1.65 | 4.50 |
| Seed from Northern Germany..... | .80 | 2.30 | 6.25 |
| Seed from Poland..... | 1.00 | 2.80 | 8.00 |
| Seed of West Baltic origin, a rugged northern strain, see Pine Lore, page 28. 90,000 seeds per pound | 1.75 | 4.50 | 12.00 |

PINUS (continued)

| | | | |
|--|------|------|-------|
| Seed from stands in Denmark grown from Swedish seed, Ulstrupgard forest district, Randers County, Jutland, certified by district officer..... | 1.80 | 4.60 | 12.50 |
| B. Mountain Strains. Recommended for ornamental use, Christmas tree stock, forest planting: | | | |
| Seed previously offered as green strain from origins in Western Europe is now and has been available for some time from highland forests in France, elevation 2,700-3,600 feet. Inclined to be fast growing of bushy habit it is suitable for many uses—windbreaks, shelter plantings, landscaping. Its wood, reported to qualify with that from northern strains, warrants a trial for timber production. 86,000 seeds per pound..... | .65 | 1.75 | 5.00 |
| Seed from Austrian Forests, hill strain, 1,400 feet, green needles, straight stems, small crowns. 78,-500 seeds per pound..... | .80 | 2.25 | 6.00 |
| Seed from native Scotch Highland stands, Scotland, moderate grower, bluish-green, short needled, straight stemmed, a variety close to rigensis, 55,000 seeds per pound..... | 1.75 | 4.50 | 12.00 |
| seed from Rigensis type trees, Northern New York State, Hill Country, elevation, 1,300 ft..... | 2.00 | 5.50 | 15.00 |
| <i>tabulaeformis</i> (sinensis)..... | 1.25 | 3.50 | 10.00 |
| <i>taeda</i> | 1.00 | 2.80 | 8.00 |
| <i>thunbergi</i> | .55 | 1.15 | 3.35 |
| <i>torreyana</i> | 1.00 | 2.90 | 8.00 |
| PITTIOSPORUM tobira , clean..... | .50 | 1.10 | 3.00 |
| PLATANUS occidentalis , clean..... | | .50 | 1.35 |
| <i>orientalis</i> , clean..... | | .50 | 1.25 |
| PLUMBAGO capensis1,000 seeds | 3.50 | | |
| PODOCARPUS macrophyllus | | 1.15 | 3.25 |
| <i>nagi</i> | | 1.15 | 3.25 |
| POINCIANA gilliesii | .60 | 1.30 | 3.50 |
| (<i>Delonix</i>) <i>regia</i> | .75 | 2.25 | 6.00 |
| PONCIRUS (<i>Citrus</i>) <i>trifoliata</i> | | .50 | 1.25 |
| PRUNUS americana , clean..... | | .60 | 1.50 |
| <i>amygdalo-persica</i> , Hardy Almond , deserves attention for its large pink flowers in early spring..... | .50 | 1.50 | 4.50 |
| <i>amygdalus</i> (<i>communis</i>) Sweet Almond | | | .75 |
| <i>amygdalus</i> (<i>communis</i>), Bitter Almond | | | .80 |
| <i>armeniaca</i> , clean (Apricot)..... | | | .80 |
| <i>armeniaca ansu</i> , clean, hardy Japanese Apricot, close to <i>mandshurica</i> with better fruit..... | | | .90 |
| <i>avium</i> , Mazzard , clean..... | | .50 | 1.25 |
| <i>besseyi</i> , clean..... | .60 | 1.50 | 4.25 |
| <i>campanulata</i> | .50 | 1.25 | 3.50 |
| <i>caroliniana</i> | | .60 | 1.50 |
| <i>cerasifera</i> (<i>Myrobolan</i>), clean..... | | .50 | 1.00 |
| <i>demissa melanocarpa</i> , clean..... | | .70 | 2.00 |
| <i>grayana</i> | .50 | 1.10 | 3.00 |
| <i>ilicifolia</i> , clean..... | .50 | 1.10 | 3.00 |
| <i>incisa</i> , d.b., domestic (N. E.) seed.....40 ¼ oz. | 1.00 | | |
| <i>incisa</i> , clean, imported..... | .60 | 1.70 | 4.75 |

| | oz. | ¼ lb. | lb. |
|---|------|-------|-------|
| PRUNUS (continued) | | | |
| insititia, N. E. | .50 | .90 | 2.50 |
| japonica | .55 | 1.40 | 4.00 |
| laurocerasus (officinalis), clean | | .60 | 1.50 |
| lyoni (integrifolia), clean | .50 | 1.10 | 3.00 |
| mahaleb | | .65 | 1.75 |
| maritima, N. E., d.b. | | .70 | 2.00 |
| maximowiczii | .90 | 2.65 | 7.50 |
| mume, clean | | .55 | 1.50 |
| mume var. Bungo, red flowered | .50 | 1.00 | 2.75 |
| nipponica, close to incisa, flowers twice larger | 1.25 | 3.00 | 8.50 |
| nipponica kurilensis, flowers still larger | 1.25 | 3.35 | 9.00 |
| padus, clean imported | .50 | 1.10 | 3.00 |
| pennsylvanica | .50 | 1.00 | 2.75 |
| pseudocerasus, white fragrant flowers, early, edible red fruit | 1.00 | 2.80 | |
| salicina (triflora) | | .45 | .95 |
| *sargenti (serrulata sachalinensis) clean | .50 | 1.10 | 3.00 |
| *sargenti, red flowered | .60 | 1.70 | 4.75 |
| serotina, clean | | .55 | 1.50 |
| serrulata, clean | .50 | .90 | 2.50 |
| serrulata albida (speciosa), white | 1.00 | 2.80 | |
| serrulata lannesiana | .50 | .90 | 2.50 |
| spinosa, clean | | .50 | 1.25 |
| subhirtella, clean | .50 | 1.00 | 2.75 |
| subhirtella ascendens | .75 | 2.15 | |
| subhirtella pendula, clean | .50 | 1.10 | 3.00 |
| tomentosa, domestic, clean | 1.00 | 2.80 | |
| tomentosa, imported | .50 | .80 | 2.25 |
| triloba | | .80 | 2.25 |
| virginiana, clean | | .65 | 1.75 |
| *yedoensis | .50 | .80 | 2.25 |
| PSEUDOLARIX kaempferi (amabilis) | .55 | 1.20 | 3.25 |
| PSEUDOTSUGA douglasi , Interior strain, Northern Rockies (caesia) | 1.80 | 4.60 | 12.50 |
| douglasi glauca, Colorado strain | 2.00 | 5.20 | 14.00 |
| douglasi viridis, Coast from, Oregon, Washington | 2.50 | 6.55 | 18.50 |
| PTELEA trifoliata | | .50 | 1.25 |
| PUERARIA thunbergiana | .50 | 1.00 | 2.75 |
| PYRACANTHA coccinea , clean | .50 | .80 | 2.25 |
| coccinea lalandi, clean | .55 | 1.20 | 3.25 |
| coccinea lalandi, d.b., N. E. hardy strain, plants wintering at Boston | .75 | 2.25 | |
| PYRUS common pear , domestic seed | .50 | 1.10 | 3.00 |
| common pear, French imported | .75 | 1.95 | 5.50 |
| pyrifolia (serotina) | .80 | 2.25 | 6.00 |
| ussuriensis | .80 | 2.25 | 6.50 |
| QUERCUS ilex , Evergreen Oak, from proper storage | | | 1.00 |
| palustris — not less than 5 lbs. sold | | | .60 |
| RAPHIOLEPIS indica | | 1.40 | 4.00 |
| umbellata (japonica) | | 1.25 | 3.50 |
| RHAMNUS californica , d.b. | .50 | 1.10 | 3.00 |
| cathartica, clean | .50 | .90 | 2.25 |
| crenata, N. E., less known than frangula, but more meritorious, may easily be grown into a small tree | .70 | 2.00 | |
| davurica, clean | .50 | 1.10 | 3.00 |

oz. $\frac{1}{4}$ lb. lb.**RHAMNUS** (continued)

| | | | |
|--|---|------|------|
| frangula, clean..... | .60 | 1.65 | 4.50 |
| purshiana, clean..... | .55 | 1.25 | 3.50 |
| RHODODENDRON arboreum , blood red..... | .75 $\frac{1}{16}$ oz. | | |
| arboreum, mixed shades..... | .50 $\frac{1}{4}$ oz. | | |
| auriculatum..... | .75 $\frac{1}{32}$ oz., 2.25 $\frac{1}{8}$ oz. | | |
| brachycarpum..... | .90 $\frac{1}{8}$ oz. | | |
| calophytum..... | 1.00 $\frac{1}{32}$ oz. | | |
| campanulatum..... | .50 pkt. | | |
| cantabile..... | .85 $\frac{1}{32}$ oz. | | |
| carolinianum, N. E..... | .65 $\frac{1}{16}$ oz., 1.75 $\frac{1}{4}$ oz. | | |
| carolinianum, blush..... | .50 pkt. | | |
| carolinianum, white..... | .50 pkt. | | |
| catawbiense..... | .95 $\frac{1}{4}$ oz. | 2.85 | |
| catawbiense compactum, N. E..... | 1.25 $\frac{1}{16}$ oz. | | |
| caucasicum..... | .50 pkt. | | |
| cerasinum..... | 1.00 pkt. | | |
| chrysanthum..... | .95 $\frac{1}{8}$ oz. | | |
| cinnabarinum aestivale..... | 1.00 $\frac{1}{32}$ oz. | | |
| decorum..... | .75 $\frac{1}{32}$ oz., 2.25 $\frac{1}{8}$ oz. | | |
| diaprepes..... | 1.00 $\frac{1}{32}$ oz. | | |
| discolor..... | .75 $\frac{1}{32}$ oz., 2.25 $\frac{1}{8}$ oz. | | |
| eximium..... | 1.00 pkt. | | |
| ferrugineum..... | .60 $\frac{1}{4}$ oz. | | |
| fortunei, a hardy strain, N. E..... | 1.00 $\frac{1}{32}$ oz., 3.00 $\frac{1}{8}$ oz. | | |
| fulvum..... | 1.00 pkt. | | |
| haematodes..... | 1.00 $\frac{1}{32}$ oz., 3.00 $\frac{1}{8}$ oz. | | |
| hippophaeoides..... | .50 pkt. | | |
| hirsutum..... | .60 $\frac{1}{4}$ oz. | | |
| leucaspis..... | 1.00 $\frac{1}{32}$ oz. | | |
| maximum, N. E..... | 1.00 $\frac{1}{4}$ oz. | 3.50 | |
| poncticum, Northern Europe, garden strain..... | .70 $\frac{1}{4}$ oz. | 2.00 | |
| racemosum..... | .75 $\frac{1}{32}$ oz. | | |
| smirnowi..... | 1.00 $\frac{1}{16}$ oz. | | |
| soulei..... | 1.00 $\frac{1}{32}$ oz. | | |
| tephropeplum..... | 1.00 $\frac{1}{32}$ oz. | | |
| wardi..... | 1.00 $\frac{1}{32}$ oz. | | |
| williamsianum..... | 1.00 $\frac{1}{32}$ oz., 3.00 $\frac{1}{8}$ oz. | | |

RHODODENDRON HYBRIDS: see listing on page 24.

| | | | |
|--|-----|------|------|
| RHODOTYPOS scandens (kerrioides)..... | .55 | 1.40 | 4.10 |
|--|-----|------|------|

| | | | |
|--|-----|------|------|
| RHUS canadensis (aromatica), clean, N. E..... | .65 | 1.75 | 5.00 |
|--|-----|------|------|

| | | | |
|---------------------|-----|------|--|
| copallina, d.b..... | .45 | 1.20 | |
|---------------------|-----|------|--|

| | | | |
|------------------|-----|------|--|
| glabra, d.b..... | .45 | 1.25 | |
|------------------|-----|------|--|

| | | | |
|-----------------------|-----|------|------|
| trilobata, clean..... | .50 | 1.25 | 3.50 |
|-----------------------|-----|------|------|

| | | | |
|---------------------|-----|------|--|
| typhina, clean..... | .55 | 1.50 | |
|---------------------|-----|------|--|

| | | | |
|---------------------------------------|------|--|--|
| RIBES aureum , d.b., N. E..... | 1.00 | | |
|---------------------------------------|------|--|--|

| | | | |
|---------------------------------------|------|------|-------|
| ROBINIA hispida fertilis | 1.25 | 3.50 | 10.00 |
|---------------------------------------|------|------|-------|

| | | | |
|---|-----|------|--|
| pseudoacacia, imported seed (the Eastern U. S. strain)..... | .50 | 1.00 | |
|---|-----|------|--|

| | | | |
|--|-----|------|--|
| pseudoacacia, domestic seed, Idaho strain..... | .70 | 2.00 | |
|--|-----|------|--|

| | | | |
|---------------------------|-----|-----|------|
| pseudoacacia inermis..... | .50 | .90 | 2.50 |
|---------------------------|-----|-----|------|

| | | | |
|------------------------------------|-----|------|------|
| ROSA arkansana , clean..... | .75 | 2.15 | 6.00 |
|------------------------------------|-----|------|------|

| | | | |
|--------------------|-----|------|------|
| blanda, clean..... | .50 | 1.35 | 3.75 |
|--------------------|-----|------|------|

| | | | |
|--------------------|-----|------|--|
| canina, clean..... | .50 | 1.10 | |
|--------------------|-----|------|--|

| | | | |
|-----------------------------|------|------|--|
| carolina (humilis) d.b..... | 1.10 | 3.00 | |
|-----------------------------|------|------|--|

| | | | |
|-------------------------------------|-----|------|--|
| eglanteria (rubiginosa), clean..... | .80 | 2.25 | |
|-------------------------------------|-----|------|--|

| | oz. | ¼ lb. | lb. |
|---|------|-------|-------|
| ROSA (continued) | | | |
| fujisanensis, clean..... | .45 | 1.25 | |
| hugonis, d.b..... | 1.25 | | |
| multiflora, thornless, clean..... | .50 | 1.10 | 3.00 |
| multiflora, thorny, domestic seed..... | .60 | 1.60 | 4.50 |
| multiflora, thorny, clean, imported..... | .50 | .90 | 2.50 |
| nitida, dried hips..... | | 1.15 | 3.25 |
| palustris, d.b..... | | 1.10 | 3.00 |
| primula, d.b..... | 1.00 | 2.75 | |
| rugosa, clean..... | .50 | 1.00 | 2.75 |
| rugosa, deep red selection, N. E., clean..... | .55 | 1.50 | |
| rugosa, white, N. E., clean..... | .60 | 1.65 | |
| setigera, dried hips..... | | .55 | 1.50 |
| setigera, clean..... | .60 | 1.65 | 4.50 |
| spinosissima, clean..... | .75 | 2.15 | 6.00 |
| spinosissima altaica, clean..... | 1.50 | | |
| virginiana (lucida), clean..... | .75 | 2.15 | 6.00 |
| wichuraiana, clean..... | .40 | 1.00 | 2.75 |
| RUSCUS aculeatus , clean..... | .50 | .90 | 2.50 |
| SAMBUCUS canadensis , clean..... | .45 | 1.20 | 3.25 |
| nigra, clean..... | | .55 | 1.50 |
| racemosa, clean..... | .40 | 1.00 | 2.75 |
| SAPINDUS drummondii | .40 | .90 | 2.50 |
| mukorossi..... | .40 | 1.00 | 2.75 |
| SASSAFRAS albidum (varifolium)..... | | .85 | 2.50 |
| SCHINUS molle | | .65 | 1.75 |
| terebinthifolius..... | | .90 | 2.50 |
| SCHIZOPHRAGMA hydrangeoides | .75 | 2.20 | |
| SCIADOPITYS verticillata | 1.00 | 2.75 | 7.50 |
| SEAFORTHIA elegans250 seeds 1.25, 1,000 seeds 3.50 | | | |
| SEQUOIA gigantea | 2.85 | 8.00 | 22.00 |
| sempervirens, California seed only..... | 1.10 | 3.00 | 8.50 |
| SHEPHERDIA argentea , clean..... | .85 | 2.50 | 7.00 |
| SMILAX rotundifolia , d.b..... | | .70 | 2.00 |
| SOPHORA japonica | | .55 | 1.50 |
| japonica seed from pendula form..... | | .55 | 1.60 |
| secundiflora.....100 seeds .75, 500 seeds, 2.50 | | | |
| SORBUS alnifolia , clean..... | .75 | 2.15 | 6.00 |
| americana, d.b..... | .50 | 1.10 | 3.00 |
| aria, clean..... | .65 | 1.75 | 5.25 |
| aucuparia, imported, clean..... | .70 | 1.85 | 5.50 |
| decora, d.b..... | .50 | ¼ oz. | |
| domestica, clean..... | 1.25 | 3.50 | |
| torminalis, clean..... | .70 | 2.00 | |
| SPARTIUM junceum | | .50 | 1.25 |
| STAPHYLEA bumalda | .50 | 1.25 | 3.50 |
| trifolia..... | .50 | .90 | 2.50 |
| STEWARTIA monadelpha , N. E......70 ¼ oz. | 2.00 | | |
| pseudocamellia, imported..... | 1.00 | 3.00 | |
| serrata, N. E......50 ½ oz. | | | |
| STYRAX americana | | .70 | 2.00 |
| japonica..... | .50 | .85 | 2.50 |
| obassia..... | .50 | 1.15 | 3.25 |
| SYMPHORICARPUS albus (racemosus)..... | 1.00 | 2.75 | |
| orbiculatus (vulgaris), d.b..... | | .70 | 2.00 |

| | oz. | ¼ lb. | lb. |
|--|-----------|-------|-------|
| SYMPLOCOS paniculata , conspicuous in flower (white) and fruit (bright blue)..... | .60 | 1.65 | 4.50 |
| SYRINGA amurensis japonica | 1.75 | 4.50 | 12.00 |
| <i>henryi</i> | 1.00 | 3.00 | |
| <i>josikaea</i> | .85 | 2.35 | |
| <i>josikaea pallida</i> | 1.00 | | |
| <i>josikaea rosea</i> | 1.00 | 3.00 | |
| <i>villosa</i> | 1.40 | 4.00 | 11.00 |
| <i>villosa rosea</i> | 1.00 | 3.00 | |
| <i>vulgaris</i> | .50 | 1.10 | 3.00 |
| <i>vulgaris alba</i> | .75 | 2.20 | 5.75 |
| TAMARIX gallica | | .70 | 2.00 |
| TAXODIUM distichum | | .60 | 1.50 |
| <i>distichum, clean</i> | | .90 | 2.50 |
| TAXUS baccata | | .60 | 1.65 |
| <i>baccata erecta, N. E.</i> | 1.20 | 3.25 | |
| <i>baccata stricta (fastigiata)</i> | .50 | 1.25 | 3.50 |
| <i>cuspidata, N. E.</i> | 1.30 | 3.60 | 10.00 |
| <i>cuspidata, seed from Japan (the so-called capitata form)</i> | .50 | 1.10 | 3.00 |
| <i>media hicksi, N. E.</i> | 1.65 | 4.50 | 12.00 |
| TETRAPANAX (Aralia) papyrifera | .65 ¼ oz. | 1.75 | |
| THEA (Camellia) sinensis | | .60 | 1.50 |
| THUJA occidentalis | .80 | 2.25 | 6.00 |
| <i>occidentalis, Northeastern or Lake States</i> | 1.00 | 2.80 | 8.00 |
| <i>occidentalis pyramidalis</i> | 1.25 | 3.50 | 10.00 |
| <i>orientalis</i> | | .60 | 1.65 |
| <i>orientalis, New England seed</i> | .50 | 1.25 | 3.50 |
| <i>orientalis, from select pyramids, N. E.</i> | .85 | 2.25 | |
| <i>orientalis aurea</i> | .45 | .80 | 2.25 |
| <i>orientalis aurea nana</i> | .50 | 1.25 | 3.50 |
| <i>orientalis compacta</i> | .45 | .80 | 2.25 |
| <i>orientalis elegantissima</i> | .75 | | |
| <i>orientalis pyramidalis</i> | .45 | .80 | 2.25 |
| <i>orientalis tatarica</i> | .50 | .90 | 2.50 |
| <i>plicata, Northern Rockies</i> | 1.40 | 4.00 | 11.00 |
| <i>plicata, from Garden specimens</i> | .65 | 1.70 | 4.75 |
| TILIA americana | | .55 | 1.50 |
| <i>cordata</i> | | .60 | 1.65 |
| <i>platyphyllos</i> | | .50 | 1.25 |
| <i>tomentosa</i> | | .50 | 1.25 |
| TORREYA californica | | .85 | 2.50 |
| <i>nucifera</i> | | .65 | 1.75 |
| TRACHYCARPUS excelsus, (fortunei) | | .60 | 1.50 |
| TSUGA canadensis, Northern crop | 2.00 | 5.60 | 16.00 |
| <i>diversifolia</i> | 1.25 | 3.30 | 9.00 |
| <i>sieboldi</i> | 1.25 | 3.00 | 9.00 |
| ULEX europaeus | .45 | .75 | 2.00 |
| <i>europaeus nanus</i> | .75 | 2.00 | |
| ULMUS americana | | | 1.50 |
| <i>campestris, N. E.</i> | | .90 | 2.50 |
| <i>pumila</i> | | .90 | 2.50 |
| UMBELLULARIA californica | | 1.15 | 3.25 |

| | oz. | ¼ lb. | lb. |
|--|-----------|-------|------|
| VACCINIUM canadense , d.b..... | .80 | 2.25 | |
| corymbosum , d.b..... | .80 | 2.25 | |
| corymbosum , d.b., from large fruited cultivated named varieties..... | .90 | 2.50 | |
| pennsylvanicum (angustifolium), d.b..... | .90 | 2.50 | |
| VIBURNUM acerifolium , clean..... | .50 | 1.25 | 3.50 |
| alnifolium , d.b..... | .50 | 1.25 | 3.50 |
| americanum (trilobum), clean..... | .85 | 2.40 | 6.75 |
| bitchiense , d.b..... | .50 ¼ oz. | 1.50 | 4.50 |
| carlesi hybrids, forms intermediate between carlesi and bitchuiense | .50 ¼ oz. | 1.50 | 4.50 |
| cassinoides , d.b..... | .50 | .90 | 2.50 |
| dentatum , d.b..... | | .70 | 2.00 |
| dentatum , clean..... | .55 | 1.40 | 4.00 |
| * dilatatum , clean..... | .50 | 1.15 | 3.25 |
| lantana , clean..... | | .70 | 2.00 |
| lantana rugosum , d.b., attractive foliage, large showy clusters of fruit..... | .60 | 1.50 | 4.25 |
| lentago , clean..... | .50 | 1.25 | 3.50 |
| odoratissimum , clean..... | .50 | 1.25 | 3.50 |
| opulus , clean..... | .50 | 1.15 | 3.25 |
| prunifolium , clean..... | .55 | 1.45 | 4.25 |
| rhytidophyllum , d.b..... | .50 | 1.35 | 3.75 |
| rufidulum , clean..... | .50 | 1.40 | 4.00 |
| sargentii , clean..... | .50 | 1.25 | 3.50 |
| sieboldi , clean..... | | 1.65 | 4.50 |
| tinus , d.b..... | | .50 | 1.25 |
| tomentosum , clean..... | | 1.45 | 4.25 |
| wrightii , clean, imported..... | .60 | 1.65 | 4.50 |
| wrightii , from grafted specimens, N. E., clean..... | 1.00 | 2.75 | |
| VITEX angus castus | | .55 | 1.50 |
| VITIS coignetiae | .50 | 1.10 | 3.00 |
| riparia (odorata) the true, hardy Riverbank Grape, with fragrant flowers and sweet, very early ripening fruit | .75 | 2.00 | 5.50 |
| WASHINGTONIA filifera | | .90 | 2.50 |
| robusta | | 1.00 | 2.75 |
| WEIGELA , garden varieties..... | 1.00 | | |
| WISTERIA floribunda (multijuga) blue..... | .50 | 1.10 | 3.00 |
| floribunda , white..... | .50 | 1.35 | 3.75 |
| frutescens | .50 | .90 | 2.50 |
| sinensis , blue..... | .50 | .80 | 2.25 |
| sinensis , white..... | .50 | 1.20 | 3.25 |
| XANTHOCERAS sorbifolium | .50 | 1.65 | 4.50 |
| ZANTHOXYLUM americanum | .50 | 1.10 | |
| ZELKOVA serrata | | 1.10 | 3.00 |
| ZIZYPHUS jujuba , clean..... | | .80 | 2.25 |

SEEDS — HERBACEOUS PERENNIALS — MISCELLANEOUS

| | oz. ¼ | lb. | lb. |
|---|-----------------------|------|-----------|
| ACHILLEA filipendula, Parker's variety..... | .50 ¼ oz. | 1.50 | |
| ACONITUM napellus..... | .40 ¼ oz. | .75 | 2.75 |
| ALYSSUM saxatile compactum..... | .30 ¼ oz. | .75 | 2.75 |
| saxatile compactum, home grown, extra compact selection | | 1.25 | 3.00 |
| ANCHUSA italica Dropmore, Gentian Blue..... | .45 | 1.10 | 3.25 |
| myosotidiflora..... | 1.25 ¼ oz. | | |
| ANTHEMIS kelway, yellow..... | | .40 | 1.25 |
| tinctoria, golden orange..... | .35 ¼ oz. | .90 | |
| AQUILEGIA coerulea, true Rocky Mountain Longspurred Blue Columbine, choice garden grown seed | .65 ⅙ oz., 2.00 ¼ oz. | | |
| Longspurred Blue Shades, home grown strain perfected by years of selective breeding, plants 3 to 4 feet high with huge flowers..... | .75 ⅙ oz. | 6.00 | |
| Longspurred Crimson Star..... | .65 ⅙ oz. | 3.75 | |
| Longspurred Hybrids in mixture, choicest domestic strain, claimed by prominent grower superior to any, many unusual shades..... | .85 ⅙ oz. | 7.00 | |
| Longspurred Hybrids, Mrs. Scott Elliotts..... | .50 ¼ oz. | 1.50 | |
| ARABIS alpina, dwarf Snow Cap variety..... | .35 ⅙ oz. | 1.50 | |
| alpina, giant flowered, early..... | .30 ¼ oz. | .60 | 1.50 |
| ARALIA hispida, native woodland perennial, fruit relished by birds..... | | .75 | 2.15 |
| ARMERIA formosa hybrids..... | .45 ¼ oz. | 1.00 | |
| formosa, Giant Rose-Pink..... | .55 ⅙ oz. | | |
| ASCLEPIAS tuberosa..... | .50 ¼ oz. | 1.50 | |
| ASPARAGUS plumosus nanus..... | .50 ¼ oz. | 1.25 | 3.75 |
| plumosus robustus..... | | 1.75 | 5.25 |
| sprengeri..... | .45 ¼ oz. | 1.25 | 3.75 |
| ATROPA belladonna..... | .35 ¼ oz. | .90 | |
| AUBRIETIA leichtlini, Carmine rose..... | .40 ¼ oz. | 1.25 | |
| purpurea, clear purple..... | .45 ¼ oz. | 1.25 | |
| Large Flowered Hybrids..... | .45 ¼ oz. | 1.25 | |
| BAPTISIA australis..... | .30 ¼ oz. | .60 | 1.80 5.50 |
| CAMPANULA carpatica, blue, white or mixed, each..... | .35 ¼ oz. | .80 | |
| persicifolia, white, blue or mixed — each..... | .35 ¼ oz. | 1.00 | |
| Telham Beauty..... | .40 ⅙ oz. | 2.00 | |
| CARNATION , hardy Grenadin, Bright scarlet, King of the Blacks, Rose Queen, Pure White, Yellow Queen — each..... | .65 ¼ oz. | 2.00 | |
| Grenadin, choicest mixed..... | .50 ¼ oz. | 1.50 | |
| Professor Malmgreen, early dwarf Vienna, double, brick red..... | .35 ⅙ oz., .75 ¼ oz. | | |
| Simon's Triumph, hardy C. choice double blend | .35 ⅙ oz., .75 ¼ oz. | | |
| Teicher's, fine large flowered hardy strain, wide range of colors..... | .55 ⅙ oz., 1.50 ¼ oz. | | |
| Teicher's Scarlet..... | .65 ⅙ oz., 1.75 ¼ oz. | | |
| CASSIA marilandica..... | .45 ¼ oz. | 1.00 | |
| CERASTIUM tomentosum..... | .30 ¼ oz. | .65 | |
| CHRYSANTHEMUM Shasta Daisy, Alaska..... | .35 ¼ oz. | .60 | |
| Snowdrift, giant flowered..... | .40 ¼ oz. | .85 | |
| May Queen, earliest large flowered..... | .35 ¼ oz. | .75 | |
| CLEMATIS recta..... | .35 ¼ oz. | .75 | |

| | | oz. | ¼ lb. | lb. |
|--|------------------------|------|-------|-------|
| — CONVALLARIA majalis | .35 ¼ oz. | 1.00 | | |
| — CYCLAMEN europaeum | .80 ⅙ oz. | | | |
| neapolitanum | .80 ⅙ oz. | | | |
| DELPHINIUM , all home grown, quality seeds in strains ac- | | | | |
| climated to U. S. A. conditions: | | | | |
| Belladonna Improved | .40 ⅙ oz., 1.00 ¼ oz. | | | |
| Bellamosum Improved | .40 ⅙ oz., 1.00 ¼ oz. | | | |
| Cardinale | .35 ⅙ oz., .60 ¼ oz. | 2.00 | | |
| Gold Medal Hybrids | .35 ⅙ oz., .75 ¼ oz. | 2.50 | | |
| Lamartine | .40 ⅙ oz., 1.00 ¼ oz. | 3.50 | | |
| Pacific Giants | | | | |
| Astolat series , novel shades with dark bee | | | | |
| | 1.00 ⅙ oz., 2.75 ¼ oz. | | | |
| Black Knight , dark blue..... | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Blue Bird , clear medium blue, white bee | | | | |
| | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Blue Jay , brilliant medium clear blue, dark bee | | | | |
| | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Cameliard , pure lavender, white bee | | | | |
| | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Galahad , glistening white, very large flowers (to 3 | | | | |
| inches)..... | | | | |
| | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Guinevere , light pink-lavender, white bee | | | | |
| | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| King Arthur , brilliant dark violet, white bee | | | | |
| | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Lancelot , clear lilac self..... | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Percival , white, black bee..... | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Summer Skies , clear light blue..... | 1.00 ⅙ oz., 2.50 ¼ oz. | | | |
| Pacific Giants , formula mixture of above varieties | | | | |
| | .75 ⅙ oz., 1.75 ¼ oz. | | | |
| DIANTHUS deltoides erecta , bright red..... | .50 ¼ oz. | 1.50 | | |
| plumarius , Mayflower, early dwarf double..... | .50 ¼ oz. | 1.75 | | |
| plumarius , semperflorens, Spring Beauty, double..... | .55 ¼ oz. | 2.00 | | |
| plumarius , dwarf double..... | .45 ¼ oz. | 1.25 | | |
| DICENTRA eximia | .50 ¼ oz. | 1.50 | | |
| — DICTAMNUS fraxinella rosea | .35 ¼ oz. | .80 | 2.50 | |
| DIGITALIS Shirley , best variety, large flowered, spotted | | | | |
| | .25 ¼ oz. | .60 | | |
| purple | .25 ¼ oz. | .50 | | |
| white | .25 ¼ oz. | .50 | | |
| yellow | .25 ¼ oz. | .60 | | |
| GYPSOPHILA paniculata , white..... | .35 | .75 | 2.00 | |
| paniculata , Double Snow Flake..... | .70 ¼ oz. | 2.10 | | |
| repens , rose or white..... | .35 ¼ oz. | .90 | | |
| HELIANTHEMUM mutabile | .40 ¼ oz. | 1.00 | | |
| HELLEBORUS niger | .50 ¼ oz. | 1.30 | 3.60 | 10.00 |
| IBERIS sempervirens , Candytuft, home grown..... | .75 ¼ oz. | 2.10 | | |
| LATHYRUS latifolius , Rose, N. E..... | .40 ¼ oz. | 1.00 | | |
| latifolius , White Pearl, N. E..... | .40 ¼ oz. | 1.00 | | |
| splendens | .70 ¼ oz. | 2.00 | | |
| — LAVANDULA vera (true Lavender)..... | .40 ¼ oz. | 2.00 | 3.00 | |
| LESPEDEZA capitata | | 2.00 | 5.50 | 15.00 |
| hirta | | 2.00 | 5.50 | |
| LINUM narbonense , Heavenly Blue..... | .50 ¼ oz. | | | |

22

| | oz. ¼ lb. | lb. |
|--|----------------------|---------------|
| SAPONARIA ocymoides..... | 40 ¼ oz. | .75 |
| SCABIOSA caucasica goldingensis, deep lavender .60 ¼ oz. | 1.75 | |
| caucasica, House's strain..... | .60 ¼ oz. | 1.75 |
| caucasica perfecta..... | .50 ¼ oz. | 1.50 |
| THERMOPSIS caroliniana..... | | .60 2.00 6.00 |
| THYMUS serpyllum..... | .45 ½ oz. | 2.25 |
| vulgaris | .35 ½ oz. | 1.25 |
| TRIFOLIUM repens atropurpureum..... | .55 ¼ oz. | 1.50 |
| TROLLIUS europaeus, lemon yellow..... | .45 ¼ oz. | 1.00 |
| Orange Globe, dark yellow..... | .35 ⅙ oz., .85 ¼ oz. | |
| Ledebouri, dark orange..... | .35 ⅙ oz., 85 ¼ oz. | |
| YUCCA filamentosa..... | .45 ¼ oz. | 1.00 3.00 |
| ZOYSIA japonica, promising new Turf Grass from Japan..... | | 1.10 3.00 |

AZALEA AND RHODODENDRON HYBRIDS

If exclusively taken from this section please have your order amount to at least \$3.00.

AZALEA — Deciduous:

Altaclarensis (mollis x viscosa) orange yellow, blotched
.75 pkt., 2.00 ⅙ oz.

Calendulacea x arborescens.....75 pkt., 2.00 ⅙ oz.

Embley Hybrids — a parallel development of the Exbury

Hybrids — all colors, shades of yellow, pink, red

1.00 pkt., 2.00 ½ oz., 6.00 ⅛ oz.

Embley Apricot, apricot pink

1.00 pkt., 2.00 ½ oz., 6.00 ⅛ oz.

Ghent Hybrids, all colors.....1.25 ⅙ oz., 3.75 ¼ oz.

Exbury Hybrids, choice race, a separate development of

Knaphill Hybrids, all colors.....1.00 pkt., 2.00 ½ oz.

Knaphill Hybrids, the result of prolonged breeding inter-

crossing mollis, pontica (ghent), calendulacea and

occidentalis strains.....1.00 pkt., 2.00 ½ oz., 6.00 ⅛ oz.

Mollis Hybrids (mollis x japonica)

All — .75 pkt., 1.00 ½ oz.

Koster's Brilliant Red, glossy orange red

Lemonora, apricot, center rose

Mrs. Oliver Slocock, rich orange-yellow, suffused
terra-cotta

Robespierre, orange-red

Mollis Hybrids, from choice collection of named

varieties1.25 ⅙ oz., 3.00 ¼ oz.

AZALEA — Evergreen (New England grown):

Hinodegiri1.00 ½ oz.

Hinodegiri x mucronata (ledifolia), vigorous, free bloom-
ing Hybrids.....75 pkt., 1.50 ½ oz.

indica (macrantha), garden varieties, N. E.....1.00 pkt.

Indica Hybrid x mucronata, large lavender flowers

1.00 pkt.

Maxwelli x scabra, large flowered, red.....1.00 pkt.

Obtusa arnoldiana (obt. amoena x obt. kaempferi)

Cardinalis, deep red......65 pkt., 1.50 ½ oz.

Pink and Rose shades......65 pkt., 1.25 ½ oz.

AZALEA HYBRIDS (continued)

| | |
|---|---|
| Obtusa kaempferi hybrids (malvatica x kaempferi), very hardy and free blooming, in shades of red and mixed, each..... | 65 pkt., 1.25 $\frac{1}{2}$ oz., 3.50 $\frac{1}{8}$ oz. |
| Obtusa kurume , from named varieties..... | 75 pkt. |
| Sanderi Hybrids (obtusa forms x Indian Azaleas) valuable, free blooming hybrid strain resembling Kaempferi Hybrids but later flowering and, apparently, just as hardy. | |
| Rose and Salmon shades | 1.00 pkt., 2.00 $\frac{1}{2}$ oz. |
| Scarlet | 1.00 pkt., 2.00 $\frac{1}{2}$ oz. |

RHODODENDRON HYBRIDS

Selection of popular varieties as grown by England nurserymen. All are time tested and valued for their hardiness, good foliage, full flower trusses, ability to stand exposure:

| | |
|-----------------------------|--|
| Varieties each..... | 1.25 $\frac{1}{2}$ oz., 3.75 $\frac{1}{8}$ oz. |
| Blend of all varieties..... | 1.00 $\frac{1}{2}$ oz., 3.50 $\frac{1}{8}$ oz. |

American items priced separately

| | |
|---|---|
| Alice , rose pink | |
| Ascot Brilliant , deep crimson | |
| Azor x griersonianum | 1.25 $\frac{1}{2}$ oz. |
| Bagshot Ruby , blood-crimson | |
| Beauty of Littleworth (griffith hyb.), white | |
| Britannia , bright crimson red | |
| Catawbiense Hybrids , N. E. | |
| Seed from album elegans selections, tall and fast growing, quite true from seed in shades of white and blush..... | 1.00 $\frac{1}{16}$ oz., 2.75 $\frac{1}{4}$ oz. |
| Pink and rose shades..... | 1.00 $\frac{1}{16}$ oz., 2.75 $\frac{1}{4}$ oz. |
| Seed from red flowered plants..... | 1.25 $\frac{1}{16}$ oz. |
| Mixed seeds..... | .75 $\frac{1}{16}$ oz. |
| Catawbiense x Maximum (Wellesleyanum)..... | .60 $\frac{1}{16}$ oz. |
| Corona , coral pink | |
| Doncaster , scarlet crimson | |
| Fortunei x Hardy Hybrids , from choice N. E. plants | |
| | 1.00 $\frac{1}{2}$ oz., 2.50 $\frac{1}{8}$ oz. |

| | |
|--|------------------------|
| Geoffrey Millais , white | |
| Goldsworth Pink , pink | |
| Iveryanum , scarlet | |
| Jersey Cream , creamy yellow | |
| J. J. De Vink , glowing crimson | |
| Lady Clementine Mitford , peach pink, deeper margin | |
| Lady Primrose , lemon yellow, red spots | |
| Loder's White , pale mauve passing to pure white, large trusses | |
| Madame de Bruin , cerise red | |
| Meg Merillies , creamy white, shaded yellow and apricot | |
| Mother of Pearl , blush turning snow-white | |
| Mrs. A. R. Bide , deep pink, with brown-crimson ray | |
| Pink Pearl , rose-pink | |
| Queen Wilhelmina , large luminous cerise red | |
| Rose Perfection , deep rose shaded glowing crimson | |
| Smirnowi x Hardy Hybrids | .75 $\frac{1}{16}$ oz. |
| White Queen , pure white | |
| Williamsianum Hybrids | 1.00 $\frac{1}{2}$ oz. |
| Yellow Loderi , yellow | |

RHODODENDRON HYBRIDS as listed in Rhododendron Stud Book of the Royal Horticultural Society. Most all of recent origin, some classical hybrids of long standing. All promising breeding material. See page 27.

Unless priced otherwise — **Packets 1.00 each, 2.00 $\frac{1}{2}$ oz.**

Aladdin (grierson. x auricul.), brilliant salmon-cerise

Albatross (loderi x discolor), tall growing, large leaved, large trusses, white to shell pink.

Azor (gries. x discolor), soft salmon pink trumpet

Bonito (discolor x Luscombei), white chocolate blotch

Carmania (Souvenir of Anthony Waterer x eriogynum)

Cornish Cross (thoms. x griffth.), superb foliage, large crimson trusses

Cremorne (luscombei x campyl.), rose pink passing to soft yellow

Cupid (griff. x luscombei)

Fabia (dichr. x grierson.), low spreading, orange-salmon

Fireball (barbatum x Ascot Brilliant), bright red

Garnet (griff. x broughtoni), bright pink

Goldsworth Yellow (caucas. x campyl.), apricot changing to yellow.....**2.00 pkt.**

Isabella (griff. x auric.), large fragrant white

Janet (Avalanche x Dr. Stocker).....**2.00 pkt.**

Lady Bessborough (disc. x campyl. elatum), vigorous shrub, creamy yellow-orange, pink-maroon blotch

2.00 pkt., 3.00 $\frac{1}{4}$ oz.

Lodauric (Loderi x auricul.), giant grower, huge trumpets, white, fragrant late

Loderi (griff. x fort.)

Variant King George, pink buds opening white

Variant Venus, white, pink flushed

Variant White Diamond, clear blush

Luscombei (fort. x thoms.), large pink, excellent foliage

Master Dick (griers. x Don), large trusses, carmine-scarlet

Mrs. Kingsmill (Penjerrik, A. M. var.) (campyl. el. x griff.) yellow

Mohamet (dichr. x Tally Ho), bell shaped, orange-crimson, brown spotting

Orestes (shilsoni x griers.), soft orange-pink

Pink Shell (griff. x H. M. Ardene), rose-pink

Polar Bear (diaprepes x auric.), magnificent late flowering giant, large white trusses.....**2.00 pkt.**

Queen o' the May (pink bell x griers), excellent white

Rosabel (pink shell x grier.), large pale pink, darker veins

Sarita Loder (griers. x Loderi), large pink trumpets, large loose trusses

Shilsoni (thoms. x barb.), deep crimson red

Snow Queen (griff. x maximum x Loderi), pure white

Souldis (soulei x disc.), large trusses, white bell shaped flowers

Tally Ho (griers. x eriogynum), bright vermillion

Touchstone (griff. x ?), Neyron rose

NOTES OF INTEREST

DORMANCY IN SEEDS OF PINE, SPRUCE, OTHER CONIFERS — Failure to germinate promptly certain conifer seeds is often due to the fact that no consideration had been given to dormancy factors. Seeds most usually concerned are: — White Spruce, White Pine, other Pines of the Cembra, Flexilis and Strobilus groups.

In Fir (*Abies*), Hemlock (*Tsuga*), Douglas Fir (*Pseudotsuga*) Sitka Spruce dormancy occurrence is variable with dormancy found in some lots and none in others.

In Blue Spruce (*Picea pungens*) fifty percent of seeds are dormant, the other half fast germinating.

Late spring planting of all of the before mentioned is apt to result in total failure or partial germination only. Fall planting for some, early spring planting for others or pre-treatment (stratification) of seed lots will be required for best results. Growers are requested: —

- A. To consult reference books for these problems.
- B. For earliest spring planting to prepare their beds in the fall, not to touch bed surface at sowing time but to dress with dry peatmoss, sow and cover with peatmoss and shades. Boarding-in of beds will facilitate this procedure.

ABIES ALBA PECTINATA — SILVER FIR — the preferred Christmas tree (Tannenbaum) in Central Europe. Recommended for trial in place of Balsam Fir over which it has the advantage of dark green needle color and of being more submissive to cultivation.

ROSA PRIMULA (formerly *ecae*) — with pale yellow flowers preceding its close relative *Rosa hugonis* and surpassing it in these points: Ease of cultivation, faster and larger increase, healthy spotless foliage, heavier bloom and fruiting.

AZALEA — Attention again is called to the Kaempferi Hybrids (*A. obtusa kaempferi* crosses with *malvatica* and *hinodegiri*) exceeding, as garden plants, the parent races. They are compact in habit, more amenable to exposure, larger of flower, extremely free blooming in bright colors, hardy to Zone 5. A good word should also be said in favor of the Arnoldiana Hybrids of similar parentage. Even hardier than the preceding they are taller in habit. Their true charm and flower quality is revealed only when they have achieved some stature. While the Hybrids are true garden subjects, requiring no over-head shade the parent type *Azalea obtusa kaempferi* is unexcelled for naturalizing in woodland settings, where it can be counted upon to give quicker results than the native Azaleas.

COTONEASTER — *C. lactea* (*parneyi*) — vigorous semi-evergreen, large leaved shrub of spreading habit. In Southern New England it is at its best at Christmas time with clusters of bright red berries contrasting with the dark green foliage.

RHODODENDRON — *Rh. fortunei* the hardiest of the large leaved species of the *fortunei* series wintering well in Southern Massachusetts, fairly early blooming and starting to bloom when young. Plants obtain considerable size improving in flowering display year after year, large plants making an impressive showing with a profusion of bluish or rosy lilac flowers. Flowers are seven lobed and of heavy substance, lasting considerably longer than those of ordinary *Rhododendron*. Plants require side shelter but do best with over-head exposure in full sun in these parts.

RHODODENDRON HYBRIDS

Considerable attention is being given to the creation of new hardy Hybrid Rhododendron varieties approaching the achievements of English breeders. Except in favored areas along the Pacific Coast we cannot expect to duplicate their results. Possibilities, however, exist in all areas where the hardy Catawbiense Hybrids can be grown for the introduction of new hybrid varieties which combine in their blood-lines the superior flowering qualities of many of the partially tender Asiatic species and the hardiness of the proven Catawbiense Hybrids. Foundation stocks of this type by American breeders are available to a limited extent, chiefly comprising combinations with—Decorum, Discolor, Fortunei, Haematodes. A wider range of possibilities is available to us thru the work of English breeders. Their best creations involve the blood-lines of the following species:

Arboreum, Auriculatum, Diaprepes, Discolor, Fortunei, Griersonianum, Griffithianum, Haematodes, Eriogynum, Elliotti and others.

The use of seed from these English hybrids offers the quickest approach to foundation stocks from which, by selection and cross-breeding, superb hardy American varieties can be developed.

In all breeding work the achievement of excellence requires time and patience. Few of our modern breeders are favored by the sum of all conditions conducive to successful breeding work. The life effort of a single breeder may culminate in a number of good creations but possibly all of them depart from their work with the realization that the best is yet to come. It stands to reason that the spade work which breeders before us have done should be utilized to the fullest extent.

More stress should be laid on the creation of suitable foundation stocks to work with than on the achievement of prominence from the start. Many breeders in their frantic quest for glamour fail to realize that glamour is not readily reproduced from glamour and that outstanding plant material often is obtained from modest parent stock. Unknowingly, promising new plant material is often discarded by an obstinate regard for excellence which simply cannot be obtained in one generation while, with seed from this same material, the desired results may readily be had in the next. Points of excellence to be considered are:

A—Good constitution i.e. the physical appearance of a healthy plant with good foliage.

B—Hardiness.

C—Flower characters as to color, substance, shape and size of trusses. A combination of excellence in all these points, the desired standard, is hard to achieve. Breeders will often have to content themselves if they have scored partly in the above points in first generation. Their reward will come if they continue to work with the foundation stocks thus achieved.

All accomplishments in plant breeding before our times, many long before laws of genetics were known, may have been achieved in this fashion. Classic proof are the many excellent Azalea, Camellia and Rose varieties produced in previous generations and centuries.

PINE LORE

With many growers confused as to what strains of Scotch Pine to plant we feel competent in giving the following suggestions:

Practically all strains are, for some condition or other, suitable both for forest planting, i.e., timber production and for the use as ornamentals or Christmas trees.

In general two major races of Scotch Pine concern us here:

Strains from Northern Europe growing on the sandy plains which stretch from the coast of Belgium and Holland all the way east to, and around, the shores of the Baltic Sea. They are considered good strains for reforestation, grow comparatively fast, but usually have the objectionable feature of foliage discoloration with the approach of cold weather. They all do best on deep, sandy soils. If planted on better soils plants have a tendency to "overeat," grow too fast and are prone to fall prey to disease and insect infestations.

Inquiries for seed of the Riga (East Baltic) strain of Scotch Pine are being received continually despite disappointing results growers of Christmas trees had for reasons of foliage discoloration in cold weather and slow growth of seedlings. With insufficient supplies from the East Baltic we have, in the past, recommended seed of **West Baltic strain**, i.e., seed from sources in Sweden, which judging from reports received from growers have given good results. For timber production in the north it seems to be equal to the Riga Pine and preferable where faster production is essential. Planted for Christmas trees no foliage discoloration was reported in Southern Pennsylvania, planted further north foliage may turn with approach of cold weather. For Christmas tree plantations on sandy soil we recommended it for trial.

The mountain strains from various origins in Europe usually growing on stony soils are better adapted for all around planting. It is from these strains that best results can be expected for use as Christmas trees. Grown on sandy soils plants from these strains require feeding to show best foliage color.

PINUS MONTANA — which is much planted on mountain slopes and steep banks to stop erosion, rock and snow slides, is of equal value for stopping wind erosion of dune lands in coastal districts. Closely planted it will form, in time, impenetrable thickets, a barrier to wind-blown sand, a refuge for wild life.

MERION BLUE GRASS-ZOYSIA JAPONICA LAWNSEED MIXTURE

We take pleasure in introducing the most remarkable development in lawn seeding in many years. This sensational formula contains grasses which will enable you to maintain a dense carpet of smooth, green turf during the entire growing season from early spring right through the hot summer months until winter sets in.

Our formula contains 45% Merion Blue Grass which has proved its worth as just about the finest of all cool-season grasses. It is a great improvement over standard blue grass as it spreads faster; requires less mowing and withstands closer cutting; resists weeds and diseases. This seed is much smaller, thus less seed is needed to plant a given area.

Zoysia Japonica is the only known grass which thrives best in hot weather when other grasses become dormant and permit weeds to invade lawns. Zoysia actually outgrows Crabgrass and prevents its spreading.

Illahoe Fescue, a new strain of Creeping Red Fescue developed a few years ago, is a perennial grass of fine texture and pleasing color that does well in poor or rich soil and is highly resistant to drought and disease.

By blending these three permanent grasses you get the benefit of all their outstanding qualities. However, as is the case with all permanent grasses, this new formula is not a fast growing one. To overcome this we have added some Red Top, a quick germinating nurse grass which keeps down weed growth until the other grasses become firmly established.

One pound of Merion Blue-Zoysia Mixture covers about 700 square feet. This is more than three times the area planted with standard lawn seed mixtures, thus making our new formula no more expensive.

**Copies of this leaflet without our imprint
available on request**

MERION BLUE GRASS ZOYSIA JAPONICA LAWN SEED MIXTURE

THE IDEAL ALL-SEASON FORMULA

- Stays green from spring to winter
 - Heat and drought resistant
 - Requires minimum mowing
 - Combats weeds
-

ECONOMICAL . . . PERMANENT

**COVERS THREE TIMES THE AREA
OF STANDARD MIXTURES**

(1 pound covers 700 square feet)

\$4.50 per 1 lb. carton \$42.50 per 10 lb. bag.
postpaid

**H E R B S T B R O T H E R S
SEEDSMEN, INC.**

678 Broadway • New York 12, N. Y.

BOOKS

AZALEAS, KINDS AND CULTURE

By H. HAROLD HUME

Complete treatise covering selection, propagation, soil and soil preparation, planting, cultivation and care of these beautiful shrubs. Book is lavishly illustrated with 68 prints and eight color plates. 199 pages \$4.50

Books by Alfred C. Hottes — General information, propagation included, about Trees, Shrubs and Perennials:

- | | | |
|--|---------------|---|
| ✓ THE BOOK OF TREES — 448 pages — 200 illustrations | \$4.00 | ✓ |
| ✓ BOOK OF SHRUBS — 448 pages — 191 illustrations | \$4.00 | ✓ |
| BOOK OF PERENNIALS — 280 pages — 103 illustrations | \$2.75 | |

CULTIVATED CONIFERS IN NORTH AMERICA By DR. L. H. BAILEY

404 pages, 48 full page photos, 114 line drawings. Approximately 1000 conifers (species and varieties together) propagation, care, diseases, protection \$12.00

FLORIST CROP PRODUCTION AND MARKETING

By KENNETH POST, Ph.D.

The application of scientific facts to the production and marketing of florist cut-flowers, potted plants and bulbs grown in the greenhouse or in the field. 906 pages, profusely illustrated \$10.00

HANDBOOK OF THE TREES OF THE NORTHERN STATES AND CANADA

By ROMEYN B. HOUGH

417 pages, 498 photographs showing trunk, leaves, twigs and fruits of each tree \$5.50

Book prices are postpaid in U. S. A. Terms net cash with order.

SEND ORDERS TO

F. W. SCHUMACHER

Sandwich, Mass.

BOOKS

HORTUS SECOND

By L. H. and ETHEL ZOE BAILEY

A concise dictionary of Gardening and General Horticulture. Apart from general information invaluable as a plant directory alone **\$7.50**

MANUAL OF CULTIVATED TREES AND SHRUBS By ALFRED REHDER

The best reference book available, covering in detail every hardy tree and shrub in cultivation. 966 pages . . . **\$12.50**

THE NURSERY MANUAL

By L. H. BAILEY

Propagation by seed, layering, cuttings, budding and grafting, covering list of plants in alphabetical order, control of insects and diseases. 240 illustrations, 465 pages . . . **\$5.00**

SEEDING AND PLANTING IN THE PRACTICE OF FORESTRY

By I. W. TOUMEN and C. F. KORSTEIM

507 pages, 2nd edition. The best book on the subject . **\$7.00**

STANDARDIZED PLANT NAMES

New second edition. Reference book to 90,000 Common and Scientific names . . . **\$10.50**

"WOODY-PLANT SEED MANUAL" — with many illustrations and tables. The best new publication in a generation for those who are concerned with the intricate subject of knowledge and treatment of seeds of woody plants comes from the U.S. Department of Agriculture.

Prepared by the Forest Service — Miscellaneous Publication No. 654, for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington 25, D.C. Please do not order from us.

Book prices are postpaid in U.S.A. Terms net cash with order.

SEND ORDERS TO

F. W. SCHUMACHER

Sandwich, Mass.